

APEKS 2023

DISTRIBUTED BY
SAMUI SCUBA PRO CO., LTD.



apeks[®]

TECHNICALLY INSPIRED

GENERAL TERMS & CONDITIONS OF SALES

Effective January 15, 2023

Main office: Samui Scuba Pro Co., Ltd.
124/189-191 M.3 T. Maret
Koh Samui, Suratthani 84310

Telephone: 077 418 188
Fax: 077 418 189
e-mail: easywat@easywatersports.com
Web: www.easywatersports.com

PURCHASING AND SHIPPING OF ORDERS

- Easy Watersports (Samui Scuba Pro Co., Ltd) is the sole distributor for Apeks in Thailand.
- Apeks products in Thailand can be purchased from our local sub-distributors and their authorised dealers.

PRICING TERMS AND POLICY

- Prices are recommended retail prices including VAT.
- All prices are subject to change without notice.

OTHER TERMS

- Apeks products purchased by an Authorized Dealer and then resold to an unauthorized reseller are considered “third party sales” and are not allowed.
- Apeks products sold to end users by an unauthorized reseller may forfeit the end user certain rights and warranties to the products as allowed by law.
- The Authorized Dealer will provide warranty and non-warranty service for all Apeks products purchased by any end user having legitimate proof of purchase from an Authorized Apeks Dealer located anywhere in the world.

INDEX

Page 4-5	Sustainability
Page 6-9	Sidemount Regulator Kit & TEK3 Regulator Set
Page 10-21	Standard Regulator Sets
Page 22-25	Alternate Air Sources & Regulator Bag
Page 26-28	Complete Regulator Sets
Page 29	Adaptors & Fittings
Page 30-31	Hoses & Spares
Page 32-34	Gauges & Watches
Page 35-47	Buoyancy Systems
Page 48-51	Masks & Fins
Page 52-57	Torches
Page 58-65	Reels and Accessories
Page 66	Tech Shorts
Page 67-68	Dry Bags

ABOUT APEKS

In the mid-1970s, two friends decided to combine their knowledge of diving and precision engineering. Working from a small garage in the north of England, they set about creating what have become some of the most respected regulators on the market.

Decades later that spirit of precision-engineering and craftsmanship continues. The full range of Apeks dive equipment, which now includes regulators, bladders, instruments and accessories is trusted by divers around the world. Because when the environment demands, only one thing matters; that your dive kit is designed, developed and tested to keep you safe and comfortable. The name Apeks comes from a combination of letters from the founders' names. Ken Smith Ainscough and Eric Partington.

The Apeks Lifestyle

Whether it's a warm-water sidemount dive or a cold-water deep dive, Apeks products are designed to maximise your diving adventure. The emphasis is on premium, progressive products that allow a variety of diving configurations to meet the needs of each diver. Tested and proven over decades by the extreme tech community, Apeks products are built for everyone.

Apeks Around the World

Apeks is dedicated to helping customers maximize their scuba diving experience. With independently-owned Apeks Partner Centres located all over the globe, divers can make the most of their dives no matter where they are. Apeks has the distinct pleasure of working with a number of inspiring ambassadors who make a positive, lasting impact on the world. Their contributions to society and the earth at large are making our world a better place, and Apeks is honoured to offer support.

Wherever you are located, the adventure starts with Apeks!



Sustainability Activities



Solar powered UK manufacturing facility



150 kWh
solar farm on the roof
(Size of **4** tennis courts)



Enough to power
60 UK Homes

50 Tonnes of CO2 saved each year
(weight equivalent to



to **90** polar bears)

Environmental packaging



By 2021 we will have removed all single use plastic packaging from our products

Sustainable clothing range



Renewable energy used throughout the supply chain




All natural materials and no plastic packaging



Circular economy T-shirts
(new products made from old)

Electric Vehicle charging points



Environmentally friendly neoprene



Limestone based neoprene wetsuits



Neoprene using **recycled car tyres**



Linings made from **recycled plastic bottles**

Company beach clean





Cycle to Work

We take part in the cycle to work scheme to encourage our employees to leave their car at home to reduce their carbon footprint.



Over **500,000** pieces of single use plastic packaging removed each year

All polystyrene foam packaging replaced with recycled card



Lifetime warranty

Our regulators come with a lifetime warranty

- ⚡ 3 EV charging points
- ⚡ Electric / Hybrid company cars
- ⚡ Free employee / visitor charging point

UK facility waste recycling

ZERO to land-fill general waste



4000L of machine lubricant recycled and reused

137 Tonnes of waste brass recycled each year (weight equivalent to 20 elephants)

(volume equivalent to **30** big bathtubs)



Organised countryside litter picking



Plastic free offices and factory

100,000

Plastic cups removed each year



MTX-R SIDEMOUNT REGULATOR KIT

The Apeks MTX-R sidemount regulator kit delivers the necessary hardware and accessories for sidemount diving, along with two award-winning XTX50 regulators. Everything a diver needs for a sidemount breathing system is found in this kit.

KIT CONTENTS:

- 2 ea. MTX-R DIN 1st stages with 5 port swivel turrets
- 2 ea. MTX-R second stages (the set can be used with all XTX second stages)
- 210cm double swivel hose
- 65cm double swivel hose
- 2 ea. 25cm length MP inflation hoses (one for buoyancy system, one for dry suit)
- 2 ea. tek pressure gauges with 18cm hoses
- 1 ea. 90° elbow fitting
- 1 Bungee connector system
- 1 ea. stainless steel bolt snap
- 2 sets of short exhaust ports
- Regulator bag to hold all
- Setup illustration, CD manual and quick start guide
- **NOW INCLUDES THE NEW BUNGEE CONNECTOR SYSTEM**



Part #	Description	THAI BAHT
RP111111	MTX-R Sidemount Regulator Kit	92,990.00

BUNGEE CONNECTOR SYSTEM

The Apeks bungee connector system has designed to be a neat storage solution for your back up regulator and can be configured to your personal preference. The system also has a lock out feature for retaining a regulator in the mouth of an unconscious diver during a rescue situation.

Part #	Description	THAI BAHT
RA117111	Bungee Connector Kit	990.00



XTX50 SIDEMOUNT REGULATOR KIT

The Apeks XTX50 sidemount regulator kit delivers the necessary hardware and accessories for sidemount diving, along with two award-winning XTX50 regulators. Everything a diver needs for a sidemount breathing system is found in this kit.

KIT CONTENTS:

- 2 ea. DST DIN regulators with 5 port swivel turrets
- 2 ea. XTX50 second stages (the set can be used with all XTX second stages)
- 210cm double swivel hose
- 65cm double swivel hose
- 2 ea. 25cm length MP inflation hoses (one for buoyancy system, one for drysuit)
- 2 ea. tek pressure gauges with 18cm hoses
- 1 ea. 90° elbow fitting
- Bungee connector system
- 1 ea. stainless steel bolt snap
- 2 sets of short exhaust ports
- Regulator bag to hold all
- Setup illustration, CD manual and quick start guide
- **NOW INCLUDES THE NEW BUNGEE CONNECTOR SYSTEM**



Part #	Description	THAI BAHT
RP111121	XTX50 Sidemount Regulator Kit	79,990.00



TEK 3 REGULATOR SET

Apeks has developed unique first stages specifically for use on a twinset. Each first stage has three medium pressure ports and one high-pressure port. They are hydrostatically over-balanced, cold water compatible and extremely robust. The TEK3 is equally suitable for single cylinder or stage cylinder configurations, offering perfect snag-free hose positioning.

- Set includes two XTX50 second stages with double swivel hoses (the set can be used with all XTX second stages)
- 1x 2.1 metre hose and 1x 0.61 metre hose
- The TEK3 utilises all of the proven technology contained within the Apeks range of first stage regulators
- Incorporates three medium pressure 3/8" UNF ports and one high pressure 7/16" UNF port. The ports are arranged to give a neat streamlined hose configuration
- Allows maximum unrestricted accessibility to the cylinder valves when using a twin cylinder set up
- Outstanding cold water performance
- Only available in DIN fitting and M26 connection
- **NOW INCLUDES THE NEW BUNGEE CONNECTOR SYSTEM**



RP112114



RT133113

Part #	Description	THAI BAHT
RP112114	Tek 3 Set, Complete	64,990.00
RT133113	Tek 3 First Stages Left + Right Hand	40,890.00
RT133111	Tek 3 Left Hand First Stage	18,790.00
RT133112	Tek 3 Right Hand First Stage	20,790.00

NEW! HOSE RETAINING PIECE

The Apeks Hose Retainer is used to retain the long hose when diving in a long hose configuration without the need for a canister light. The hose retainer fits any standard 2" webbing and can be used with both single and double tank configurations.

Machined from a single piece of Delrin with a laser etched Apeks logo, the hose retainer is both sleek and durable.

Weight: 60g

Dimensions: 150mm x 20mm (6" x 0.78" Inches)



Part #	Description	THAI BAHT
TH117125	Hose Retaining Piece Kit	1,190.00

MTX-RC SINGLE CYLINDER LONG HOSE SET

The MTX-RC Single Cylinder Long Hose set is designed for the diver that prefers a long hose configuration on a single cylinder. It is also the perfect set-up for the recreational diver looking to transition into twinset diving in the future, as the addition of another first stage creates a twinset regulator configuration.

Combining rugged, military grade engineering with the super-smooth breathing experience that Apeks regulators are renowned for, the MTX-RC single cylinder set dives your way.

Featuring the same freeze-resistant technology enjoyed by the whole MTX-R range, the MTX-RC resists freeflows in even the coldest temperatures, while offering the user the additional flexibility to dial it out for a comfortable breathe in less extreme environments.

All this is achieved using an innovative first stage design that protects the regulator from freezing and a full set of user controls on the second stage to adjust the breathing performance based on the diver's individual needs.

The package includes 2 x MTX-RC primary second stages, 1 x MTX-RC first stage, 1x 2.1m hose, 1x 49cm hose (both double swivel hoses), a HP hose and a TEK SPG.



Part #	Description	THAI BAHT
RC128000	SINGLE CYLINDER MTX-RC SET	59,990.00

*Quality bag included with set.



MTX-RC

Own your environment with the MTX-RC scuba diving regulator. Combining rugged, military grade engineering with the super-smooth breathing experience that Apeks regulators are renowned for, the MTX-RC is the regulator that dives your way. Featuring the same freeze-resistant technology enjoy by the whole MTX-R range, the MTX-RC resists freeflows in even the coldest temperatures, while offering the user the additional flexibility to dial it up for a comfortable breathe in less extreme environments.

All this is achieved using an innovative first stage design that protects the regulator from freezing and a full set of user controls on the second stage to adjust the breathing performance based on the diver's individual needs.



*Quality bag included with regulator and stage sets.



First Stage

- Available in yoke or DIN configuration.
- Suitable for cold water use (below 10°C / 50°F)
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.
- Over-moulded innovative endcap and environmental diaphragm, a forged 1st stage body offering maximum thermal performance,
- The 5th 3/8" UNF medium pressure port includes a protective bumper when not in use.
- Forged first stage body with heat exchanging ribs for maximum thermal performance.
- Angled HP ports for optimal hose routing and fitting of transmitters.
- Forged rotating turret with medium pressure ports in a parallel direction for improved hose orientation.
- Ribbed diaphragm clamp for improved heat exchange in cold water conditions.
- Double swivel hose for greater freedom of movement and comfort.
- Tested for Octopus use - EN250A cold water.
- Nitrox/Oxygen compatible – Up to 40% O₂ outside the EU (European Union), within the EU anything above 21% O₂ must use an M26 Connection.

Second Stage

- High performance, pneumatically balanced, lever operated poppet valve.
- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Double swivel hose
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits.
- Venturi control.
- Breathing resistance control.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT127128		MTX-RC 1st Stage	MTX-RC 1st Stage only (Yoke or DIN)	26,490.00
RS116119		MTX-RC 2nd Stage	MTX-RC 2nd Stage only (without hose)	19,590.00
RG112129		MTX-RC Regulator	MTX-RC Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	40,790.00
RQ115117		MTX-RC Stage 3	MTX-RC Regulator, MTX-RC Octopus (Yoke or DIN)	48,990.00
RQ115117/4-1		MTX-RC Stage 4 -1	MTX-RC Regulator, MTX-RC Octopus, Single Pressure Gauge Console	53,690.00
RQ115117/4-2		MTX-RC Stage 4 -2	MTX-RC Regulator, MTX-RC Octopus, Pressure /Depth Gauge Console	57,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

MTX-R

The MTX-R has excellent cold water performance and has a greatly reduced risk of free flow. This has been achieved by improving several areas, including an innovative endcap and environmental diaphragm, a forged 1st stage body offering maximum thermal preference, a ribbed diaphragm clamp and a redesigned & enlarged heat exchanger on the 2nd stage with metal incorporated into the front cover design.

This regulator is designed to meet all aspects of the NEDU (Navy Experimental Dive Unit) military requirements for diving in very cold water.



Simple to use with no dive adjustment controls and reduced chance of free flow occurrence, pre-settable cracking effort or venturi control by an Apeks approved qualified technician.



*Quality bag included with regulator and stage sets.

First Stage

- Available in yoke or DIN configuration.
- Suitable for cold water use (below 10°C / 50°F)
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.
- Over-moulded innovative endcap and environmental diaphragm, a forged 1st stage body offering maximum thermal performance,
- The 5th 3/8" UNF medium pressure port includes a protective bumper when not in use.
- Forged first stage body with heat exchanging ribs for maximum thermal performance.
- Angled HP ports for optimal hose routing and fitting of transmitters.
- Forged rotating turret with medium pressure ports in a parallel direction for improved hose orientation.
- Ribbed diaphragm clamp for improved heat exchange in cold water conditions.
- Double swivel hose for greater freedom of movement and comfort.
- Tested for Octopus use - EN250A to 22/ 197ft cold water.
- Nitrox/Oxygen compatible – Up to 40% O² outside the EU (European Union), within the EU anything above 21% O² must use an M26 Connection.

Second Stage

- High performance, pneumatically balanced, lever operated poppet valve.
- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Double swivel hose
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT127112		MTX-R 1st Stage	MTX-R 1st Stage only (Yoke or DIN)	26,490.00
RS116111		MTX-R 2nd Stage	MTX-R 2nd Stage only (without hose)	18,190.00
RG122112		MTX-R Regulator	MTX-R Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	38,490.00
RQ115111		MTX-R Stage 3	MTX-R Regulator, MTX-R Octopus (Yoke or DIN)	46,690.00
RQ115111/4-1		MTX-R Stage 4 -1	MTX-R Regulator, MTX-R Octopus, Single Pressure Gauge Console (Yoke or DIN)	51,390.00
RQ115111/4-2		MTX-R Stage 4 -2	MTX-R Regulator, MTX-R Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	55,390.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



TUNGSTEN XTX

The XTX Tungsten is built on the XTX200 platform but with a truly unique, added feature: it is protected with a hard, durable Physical Vapor Deposition (PVD) finish. This “tough as nails” finish is better than traditional chrome plating. The coating is made of high quality grades of Titanium, Zirconium and Chromium. The result not only looks extremely attractive, but protects your investment from normal diving abuse. Features a swivel hose.

Features

- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees.
- 5th port as standard. The 5th port also has with the additional bonus of an integrated heat exchanger.
- Can be converted from a right-handed hose configuration to a left handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However, this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.



First Stage

- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- 2 HP ports and 4 MP ports are angled for optimum hose routing.
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out.

Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mold, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ113137	AP0336F5	TUNGSTEN Regulator	TUNGSTEN Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	45,490.00
RQ125128		TUNGSTEN Stage 3	TUNGSTEN Regulator, XTX40 Octopus (Yoke or DIN)	51,990.00
RQ125128/4-1		TUNGSTEN Stage 4 -1	TUNGSTEN Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	56,690.00
RQ125128/4-2		TUNGSTEN Stage 4 -2	TUNGSTEN Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	60,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

XTX200

The XTX 200 is second only to the XTX Tungsten and quite rightly enjoys its position towards the top of the Apeks regulator range. The definitive blend of style and high performance, every detail on this product has been carefully designed to offer a regulator of the highest quality. Features a swivel hose for maximum comfort.

Features

- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees.
- An optional 5th port is available which features the additional bonus of an integrated heat exchanger (available on the Tungsten, XTX200 and XTX100 first stages).
- Can be converted from a right-handed hose configuration to a left-handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.



First Stage

- FSR style first stage.
- Highly polished bright chrome plating.
- Compact one piece body.
- 4 angled medium pressure ports, 4 x 3/8" UNF.
- 2 angled high pressure ports, 2 x 7/16" UNF.
- Optional 5th port.
- Removable ARCAP valve seat.
- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out

Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT132111		XTX200 FSR 1st Stage	XTX200 FSR 1st Stage only (Yoke or DIN)	22,590.00
RS129111		XTX200 2nd Stage	XTX200 2nd Stage only (without hose)	17,390.00
RG113121		XTX200 Regulator	XTX200 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	37,490.00
RQ125116		XTX200 Stage 3	XTX200 Regulator, XTX40 Octopus (Yoke or DIN)	43,990.00
RQ125116/4-1		XTX200 Stage 4 -1	XTX200 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	48,690.00
RQ125116/4-2		XTX200 Stage 4 -2	XTX200 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	52,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



XTX50

The XTX50 is for the discerning diver who wants the benefits of a feature-rich regulator at a moderate price. This popular regulator has four medium-pressure ports all mounted on a rotating turret, resulting in optimal hose routing while eliminating sharp bends in the hose.

Features

- Four medium-pressure ports all mounted on a rotating turret. This results in optimal hose routing while eliminating sharp bends in the hose.
- Features an innovative Diver Changeable Exhaust system (DCE). This system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. The regulator is supplied with both sets of exhaust tees.
- Optional 5th port is available for sidemount or twin cylinder set ups.
- Can be converted from a right-handed hose configuration to a left-handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.



First Stage

- Uses the DST first stage
- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- 2 HP ports and 4 MP ports on a rotating turret are angled for optimum hose routing
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out.

Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT129116	AP0361F-1	DST 1st Stage	DST 1st STAGE only (Yoke or DIN)	18,890.00
AP0361F/5	RT129117	DST 5 PORT 1st Stage	DST 5 PORT 1st STAGE only (Yoke or DIN)	20,790.00
RS132111		XTX50 2nd Stage	XTX50 2nd Stage only (without hose)	14,990.00
RG115127	AP0332F-1	XTX50 Regulator	XTX50 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	32,490.00
RQ129114	AP0317F-1	XTX50 Stage 3	XTX50 Regulator, XTX40 Octopus (Yoke or DIN)	38,990.00
RQ129114/4-1	AP0317F-1/4-1*	XTX50 Stage 4 - 1	XTX50 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	43,690.00
RQ129114/4-2	AP0317F-1/4-2*	XTX50 Stage 4 - 2	XTX50 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	47,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

XTX40

The XTX40 is a mid-range Apeks regulator, it is still classed as a high performance regulator in independent reviews.

Features

- Features an innovative Diver Changeable Exhaust system (DCE). The system gives the diver the ability to change from a small exhaust tee to a large exhaust tee. This gives the user a choice, wider exhaust tee for minimal bubble interference (essential for underwater photography) and narrow exhaust tee for a smaller compact comfortable regulator. Only the narrow exhaust tee is supplied with the regulator.
- Can be converted from a right-handed hose configuration to a left handed configuration. The process of changing the regulator to a left-handed configuration is both quick and simple. However, this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Available in yoke or DIN configuration.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use (below 10°C / 50°F).
- Compatible with EAN40 out of the box.



First Stage

- Uses the DS4 first stage.
- Unique over-balanced, diaphragm design - as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a rate faster than ambient. This results in superior performance at depth.
- 1 HP port and 4 MP ports on a compact machined first stage.
- An environmental dry system keeps water out of the main spring chamber thus preventing ice buildup and keeping silt and contamination out.

Second Stage

- Pneumatically-balanced second stage results in smooth, easy breathing.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Easy-to-grip opening effort control knob keeps the diver in control.
- The second stage is manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- The first stage has four medium-pressure ports all mounted on a compact machined first stage.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT134114	AP0528	DS4 1st Stage	DS4 1st STAGE only (Yoke or DIN)	14,990.00
RS131111		XTX40 2nd Stage	XTX40 2nd Stage only (without hose)	14,990.00
RG114122	AP0331F-1	XTX40 Regulator	XTX40 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	26,790.00
RQ128116	AP0314F-1	XTX40 Stage 3	XTX40 Regulator, XTX40 Octopus (Yoke or DIN)	33,290.00
RQ128116/4-1	AP0314F-1/4-1*	XTX40 Stage 4 -1	XTX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	37,990.00
RQ128116/4-2	AP0314F-1/4-2*	XTX40 Stage 4 -2	XTX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	41,990.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



XL4+

The Apeks XL4+ is a compact, lightweight regulator suitable for diving in all environments including cold water locations. Its design and low weight help reduce jaw fatigue on long dives. The XL4+ also makes an ideal stage regulator, perfect for the technical exploration diver with a large amount of equipment.



The extra high pressure port gives the option of an additional accessory, e.g. a transmitter for a computer.

First Stage

- 2 high pressure ports.
- Compact machined first stage based on the expedition tested Apeks DS4 platform.
- Break through, innovative over-moulded first-stage endcap and environmental diaphragm helps prevent ice build-up that can cause first stage free flow in extreme circumstances. Also protects the first stage from impact damage
- Large surface area heat exchanger diaphragm clamp helps increase the gas temperature inside the first stage, resulting in improved cold water performance.
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.

Second Stage

- High performance pneumatically balanced lever operated poppet valve.
- Large, over moulded self-flushing and controllable purge button.
- Ergonomic Venturi lever is easy to use and locate.
- White flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Standard metallic hose connection for interchangeability.
- Comfo-bite mouthpiece has a unique bridge that fits across the upper palate and does not require bite pressure to stay in place.
- Compatible with XL4 Octopus (See page 18).

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT111115	AP0913W	DB4 1st Stage White	DB4 1st STAGE only (Yoke or DIN)	17,390.00
RS118113		XL4 2nd Stage White	XL4 2nd Stage White only (without hose)	10,990.00
RT111122	AP0910W	XL4+ Regulator	XL4+ Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	24,690.00
AP0917WO	AP0918W	XL+ Stage 3	XL+ Regulator, XL4 Ocea Octopus (Yoke or DIN)	35,290.00
AP0917WO/4-1	AP0918WO/4-1	XL+ Stage 4 -1	XL+ Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console (Yoke or DIN)	39,990.00
AP0917WO/4-2	AP0918WO/4-2	XL+ Stage 4 -2	XL+ Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	43,990.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

XL4 OCEA

The Ocea presents a new concept of regulator to the diving market. One that comes with the inherent build quality and performance shared by all Apeks regulators, but having the prime objective of being the first totally sustainably produced regulator available. Every manufacturing detail has been considered and adjusted to ensure each material and process has been optimised in the pursuit of minimal environmental impact. Our partnership with PlasticBank, establishes the Ocea as the world's first ocean plastic negative regulator.

Features and Benefits

- Recycled polymers made from up to 70% post consumer waste (black components)
- Bioplastic plastic parts made from non petroleum based sources.
- Trivalent chrome plating uses less harmful chemicals and is kinder to the environment.
- Eco brass is lead free, easier to recycle and has a higher tensile strength than traditional brass.

First Stage

- Compact machined first stage based on the expedition tested Apeks DS4 platform.
- Unique over-balanced diaphragm design – as the diver descends, the over-balancing feature allows the medium pressure gas in the hose to increase at a faster rate than ambient. This results in superior performance at depth.
- With 2 HP ports and 4MP ports.

Second Stage

- Compact and lightweight second stage improves comfort and helps reduce jaw fatigue on long duration dives.
- High performance pneumatically balanced lever operated poppet valve.
- Large, over moulded self-flushing and controllable purge button.
- Ergonomic Venturi lever is easy to use and locate.
- Flexible nylon braided hose has better cold water performance than a traditional rubber hose.
- Standard metallic hose connection for interchangeability.
- Comfo-bite mouthpiece has a unique bridge that fits across the upper palate and does not require bite pressure to stay in place.
- Re-useable mouthpiece clip makes it simple to change mouthpieces in the field.

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT111117	RT111119	XL4 Ocea Mint 1st Stage	XL4 Ocea Mint 1st Stage	19,190.00
		XL4 Ocea Mint 2nd Stage	XL4 Ocea Mint 2nd Stage only (without hose)	12,490.00
RG124121	RG124123	XL4 Ocea Mint Regulator	XL4 Ocea Mint Regulator (1st Stage + 2nd Stage + Hose)	30,890.00
RQ117115	RQ117117	XL4 Ocea Mint Stage 3	XL4 Ocea Mint Regulator, XL4 Ocea Octopus	41,490.00
RG124121/4-1	RG124123/4-1	XL4 Ocea Mint Stage 4 -1	XL4 Ocea Mint Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console	46,190.00
RG124121/4-2	RG124123/4-2	XL4 Ocea Mint Stage 4 -2	XL4 Ocea Mint Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console	50,190.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT111118	RT111120	XL4 Ocea Grey 1st Stage	XL4 Ocea Grey 1st Stage	19,190.00
RS118118		XL4 Ocea Grey 2nd Stage	XL4 Ocea Grey 2nd Stage only (without hose)	12,490.00
RG124122	RG124124	XL4 Ocea Grey Regulator	XL4 Ocea Grey Regulator (1st Stage + 2nd Stage + Hose)	30,890.00
RQ117116	RQ117118	XL4 Ocea Grey Stage 3	XL4 Ocea Grey Regulator, XL4 Ocea Octopus	41,490.00
RG124122/4-1	RG124124/4-1	XL4 Ocea Grey Stage 4 -1	XL4 Ocea Regulator Grey, XL4 Ocea Octopus, Single Pressure Gauge Console	46,190.00
RG124122/4-2	RG124124/4-2	XL4 Ocea Grey Stage 4 -2	XL4 Ocea Grey Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console	50,190.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



WARM WATER ONLY REGULATORS

AT20 (WITH US4 FIRST STAGE)

A fully balanced regulator, first and second stage, at an entry level price.

- The first stage is a balanced diaphragm type that offers consistent performance from start of dive until end of dive, regardless of depth.
- 1 HP port and 4 MP ports are available.
- Pneumatically-balanced second stage results in smooth, easy breathing.
- The large purge button on the AT20 is easy to operate even with thick gloves.
- The integrated venturi control provides a performance boost at depth while preventing unwanted free-flow at the surface.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.
- Designed for warm water use above 10° C (50° F).



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT137112	AP0518	US4 1st Stage	US4 1st STAGE only (Yoke or DIN)	11,490.00
RQ111111	AP0545C-1/US4	AT20 Regulator	AT20 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	18,290.00
RQ111112	AP0588C-1/US4	AT20 Stage 3	AT20 Regulator, AT20 Octopus (Yoke or DIN)	24,290.00
RQ111112/4-1	AP0588C-1/US4/4-1*	AT20 Stage 4 -1	AT20 Regulator, AT20 Octopus, Single Pressure Gauge Console (Yoke or DIN)	28,990.00
RQ111112/4-2	AP0588C-1/US4/4-2*	AT20 Stage 4 -2	AT20 Regulator, AT20 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

ATX40 (WITH DS4 FIRST STAGE)

A fully balanced regulator, first and second stage, at an entry level price.

- High performance regulator that boasts an over-balanced first stage with a pneumatically balanced second stage.
- Four medium pressure ports and one high pressure port.
- The first stage is dry sealed keeping all internal components protected from the environment.
- The 2nd stage uses a pneumatically balanced valve system for excellent breathing.
- Due to the ATX 40's high efficiency heat exchanger system, it can cope with even the coldest conditions without freezing, making it the perfect all around regulator.
- The ATX40 has an ergonomically designed control for the venturi that enables you to control the airflow within the second stage at the turn of a lever.
- Comes standard with the Comfo-bite mouthpiece for increased comfort.
- Suitable for cold water use (below 10c / 50F).



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RT134114	AP0528	DS4 1st Stage	DS4 1st STAGE only (Yoke or DIN)	14,990.00
RG117111	AP0540C-1/DS4	ATX40 Regulator	ATX40 Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	20,190.00
RQ112112	AP0589C-1/DS4	ATX40 Stage 3	ATX40 Regulator, XTX40 Octopus (Yoke or DIN)	27,390.00
RQ112112/4-1	AP0589C-1/DS4/4-1*	ATX40 Stage 4 -1	ATX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	32,090.00
RQ112112/4-2	AP0589C-1/DS4/4-2*	ATX40 Stage 4 -2	ATX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	36,090.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00



FLIGHT (WARM WATER ONLY)

The combination of innovative design and the use of advanced materials created the Flight. Tough, reliable and strong enough to cope with the demands and rigours of travelling, the Flight is suitable for diving in water with a temperature of 50°F / 10°C and above, perfect for warmer, exotic travel destinations. The Flight is the most compact Apeks regulator ever made – small yet fully loaded with high performance and comfort.

- High strength forged, lightweight, brass skeletal body.
- The components utilize new engineering grade composite materials to create an extremely light weight but tough and hard wearing regulator.
- Total weight of Flight - 25oz./708 grams (yoke) & 21 oz./589 grams (DIN 300 bar).
- Balanced diaphragm first stage.
- 4 MP ports & 2 HP ports.
- Compatible with hose-less computer transmitters.
- Optimum hose positions.
- Tool-free second stage swivel fitting - avoids any damage that could occur to the second stage from over-torquing the hose.
- Pneumatically-balanced second stage.
- Large controlled purge button for ease of use.
- Venturi control to prevent free flows when out of the mouth.
- Lightweight, flexible, braided hose.
- The unique yoke knob is designed to minimize entanglements by not extending outward as it is unscrewed. This also keeps the regulator compact.



Twilight



Pewter

Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RG119115	AP0370-1 Pewter	Flight Regulator	Flight Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	19,990.00
AP0370/TL	AP0370-1/TL Twilight	Flight Regulator	Flight Regulator (1st Stage + 2nd Stage + Hose / Yoke or DIN)	19,990.00
RQ113117	AP0379-1 Pewter	Flight Stage 3	Flight Regulator, Flight Octopus (Yoke or DIN)	25,990.00
AP0379/TL	AP0379-1/TL Twilight	Flight Stage 3	Flight Regulator, Flight Octopus (Yoke or DIN)	25,990.00
AP0379/4-1	AP0379-1/4-1* Pewter	Flight Stage 4 -1	Flight Regulator, Flight Octopus, Single Pressure Gauge Console (Yoke or DIN)	30,690.00
AP0379/TL/4-1*	AP0379-1/TL/4-1* Twilight	Flight Stage 4 -1	Flight Regulator, Flight Octopus, Single Pressure Gauge Console (Yoke or DIN)	30,690.00
AP0379/4-2	AP0379-1/4-2* Pewter	Flight Stage 4 -2	Flight Regulator, Flight Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	34,690.00
AP0379/TL/4-2*	AP0379-1/TL/4-2* Twilight	Flight Stage 4 -2	Flight Regulator, Flight Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	34,690.00
* Stage 4 sets come with Apeks instrument console and H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.				400.00

NITROX REGULATORS

NITROX XTX40/DS4

The first stage is dry sealed keeping all internal components protected from the environment.

- Green and yellow cosmetic pieces clearly identify that this regulator is dedicated for high-percentage oxygen use.
- XTX pneumatically balanced second stage has left/right reversibility and a Diver Changeable Exhaust (DCE) system. Only the compact exhaust tee is supplied.
- Integrated venturi control.
- Suitable for cold-water use.



WARNING

Do not attempt to use any nitrox product with enriched air until you have obtained training in nitrox use with mixtures containing over 40% O₂ by volume, from a nationally recognized training agency.

Part #	Description	THAI BAHT
RG114116	XTX40 Regulator DIN, Oxygen	27,990.00



MTX-RC Octopus

Combining rugged, military grade engineering with the super-smooth breathing experience that Apeks regulators are renowned for, the MTX-RC octopus is the perfect partner to our MTX-RC regulator.

Features

- Venturi diver control for the best performance in any environment.
- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits
- Easy to service
- Colour coded octopus hose
- Cold water compatible.



Part #	Description	THAI BAHT
RS116114	MTX-RC Octopus With Yellow Hose	16,490.00

MTX-R Octopus

For extreme conditions this is a cold water high performance, pneumatically balanced 2nd Stage. Combined this Octopus with the MTX-R regulator for the perfect cold water solution.

Features

- Large, diver friendly self-flushing controllable purge button.
- Front cover with over-moulded elastomer incorporates a formed chrome plated brass plate improving durability of the second stage.
- Large protective elastomer bumpers on the side and on the top to protect the second stage from impacts and scratches in the most vulnerable places.
- Reversible second stage for either a left or right hand gas supply configuration.
- A heat exchanger (patented) which surrounds the valve mechanism, dissipates the cold caused by gas expansion while drawing in the warmth of the ambient water.
- Comfo-bite mouthpiece
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Simple service kits
- Easy to service
- Colour coded octopus hose
- Cold water compatible.



Part #	Description	THAI BAHT
RS116112	MTX-R Octopus With Yellow Hose	16,490.00

XTX50 Octopus

The XTX50 Octopus is our top-of-the-line Octopus in terms of features and performance. It provides the same features and performance as the XTX50 second stage and includes left / right hand reversibility. It comes with a high visibility yellow front cover and a 36" yellow hose. Suitable for cold water use (below 10°C / 50°F).

Features

- The XTX50 Octopus has a breathing effort control knob. This allows the diver to desensitize the unit when it not being used.
- The XTX purge buttons are large and easy to operate. A 2-stage progressive purge is used - press the purge on the side for a lower flow rate, useful where more control is required such as filling lift bags etc, then press in the centre for the full effect of the purge, i.e. when regulator clearing etc.
- Can be converted from a right-handed hose configuration to a left handed one. The process of changing the regulator to a left-handed configuration is both quick and simple. However, this procedure must ONLY be performed by an APEKS Authorised Service Technician.
- Braided flexi-hoses are now standard on all models. These hoses are lighter weight, more flexible and more durable.
- Suitable for coldwater use.
- Compatible with EAN4 out of the box.
- Pneumatically-balanced second stage results in smooth, easy breathing.
- The large venturi lever has a soft touch rubber grip, which makes it easier to locate and use. The lever reduces the amount of grit ingress and therefore resists any possible friction giving a smooth operation.
- Manufactured with active protection against infection as all molded parts are produced with an additive that kills MRSA, protects against E-Coli, bacteria and fungi, and is also very effective against viruses, mould, yeast and algae.
- A silicone exhaust valve improves the breathing performance of the regulator.
- The Comfo-bite™ mouthpiece virtually eliminates jaw-fatigue.



Part #	Description	THAI BAHT
RS132117	XTX50 Octopus With Yellow Hose	13,990.00

XTX40 OCTOPUS

- This octopus is based upon the XTX40 second stage.
- It includes left / right reversibility, cold-water capability and the performance you would expect from an Apeks pneumatically balanced valve.
- Diver-adjustable venturi control.
- The unit has a high visibility yellow front cover, yellow accent pieces and a 36" yellow hose.
- Comes standard with small exhaust tee.
- Suitable for cold water use (below 10c / 50F).



Part #	Description	THAI BAHT
RS131115	XTX40 Octopus With Yellow Hose	11,590.00

PLEASE NOTE

A Stage 3 Regulator Set is the best value way of purchasing an Octopus, and it ships with the Octopus fitted to the 1st Stage.



EGRESS OCTOPUS

Innovative, low profile design minimizes drag. The pneumatically balanced valve provides superior performance for an alternate air source, making it a perfect complement to the high performing Apeks regulators.

- Unique 120° angle between the mouthpiece and the hose, which is ideal for sharing air with your buddy.
- Breathes smoothly when positioned right side up or upside down.
- High visibility 36" yellow hose distinguishes your Egress hose from your primary hose and is easily spotted in the event of an out-of-air emergency.
- Suitable for cold water use (below 10c / 50F).



Part #	Description	THAI BAHT
RS113114	Egress Octopus With Yellow Hose	11,590.00

XL4 OCEA OCTOPUS

- Compact and lightweight design
- High performance pneumatically balanced lever operated poppet valve.
- Large, over moulded self-flushing and controllable purge button.
- Ergonomic venturi lever is easy to use and locate.
- Flexible nylon braided hose has better cold water performance than traditional rubber hose.
- Standard metallic hose connection for interchangeability.
- Colour coded octopus hose
- Suitable for cold water use (below 10°C / 50°F).



Part #	Description	THAI BAHT
RS118120	XL4 Ocea Octopus With Yellow Hose	12,990.00

REGULATOR BAG



Part #	Description	Includes	THAI BAHT
BA116112	Regulator Bag	Shoulder Strap	1,890.00

AT20 OCTOPUS (WARM WATER ONLY)

- The AT20 octopus is smaller and 25% lighter than its TX predecessor. This results in less jaw fatigue and less drag.
- This pneumatically balanced octopus is ideally suited for an over-balanced Apeks first stage.
- The diver has full control of the venturi by means of a lever so as to prevent accidental free-flow when the octopus is not being used.
- High visibility 36" yellow hose and high visibility yellow cover.
- Designed for water temperatures above 50° F (10° C).



Part #	Description	THAI BAHT
RS111113	AT20 Octopus With Yellow Hose	8,690.00

ATX40 OCTOPUS

- The ATX40 octopus is smaller and 25% lighter than its TX predecessor. This results in less jaw fatigue and less drag.
- This pneumatically balanced octopus is ideally suited for an over-balanced Apeks first stage.
- The diver has full control of the venturi by means of a lever so as to prevent accidental free-flow when the octopus is not being used.
- The excellent cold water performance of this octopus is due to the highly efficient heat exchanger on the second stage.
- High visibility 36" yellow hose and high visibility yellow cover.
- Suitable for cold water use (below 10c / 50F).



Part #	Description	THAI BAHT
RS112114	ATX40 Octopus With Yellow Hose	9,990.00

PLEASE NOTE

A Stage 3 Regulator Set is the best value way of purchasing an Octopus, and it ships with the Octopus fitted to the 1st Stage.



STAGE-3 & STAGE-4 SETS *

MTX-RC/MTX-RC

MTX-RC Bag included



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ115117	AP0068CVSGREY	MTX-RC Stage 3	MTX-RC Regulator, MTX-RC Octopus (Yoke or DIN)	48,990.00
RQ115117/4-1	AP0068CVSGREY/4-1*	MTX-RC Stage 4 -1	MTX-RC Regulator, MTX-RC Octopus, Single Pressure Gauge Console	53,690.00
RQ115117/4-2	AP0068CVSGREY/4-2*	MTX-RC Stage 4 -2	MTX-RC Regulator, MTX-RC Octopus, Pressure /Depth Gauge Console	57,690.00

MTX-R/MTX-R

MTX-R Bag included



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ115111	AAP0068	MTX-R Stage 3	MTX-R Regulator, MTX-R Octopus (Yoke or DIN)	46,690.00
RQ115111/4-1	AP0068/4-1*	MTX-R Stage 4 -1	MTX-R Regulator, MTX-R Octopus, Single Pressure Gauge Console	51,390.00
RQ115111/4-2	AP0068/4-2*	MTX-R Stage 4 -2	MTX-R Regulator, MTX-R Octopus, Pressure /Depth Gauge Console	55,390.00

TUNGSTEN XTX/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ125128	AP0328F5	TUNGSTEN Stage 3	TUNGSTEN Regulator, XTX40 Octopus (Yoke or DIN)	51,990.00
RQ125128/4-1	AP0328F5/4-1*	TUNGSTEN Stage 4 -1	TUNGSTEN Regulator, XTX40 Octopus, Single Pressure Gauge Console	56,690.00
RQ125128/4-2	AP0328F5/4-2*	TUNGSTEN Stage 4 -2	TUNGSTEN Regulator, XTX40 Octopus, Pressure /Depth Gauge Console	60,690.00

XTX200/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ125116	AP0325F-1	XTX200 Stage 3	XTX200 Regulator, XTX40 Octopus (Yoke or DIN)	43,990.00
RQ125116/4-1	AP0325F-1/4-1*	XTX200 Stage 4 -1	XTX200 Regulator, XTX40 Octopus, Single Pressure Gauge Console	48,690.00
RQ125116/4-2	AP0325F-1/4-2*	XTX200 Stage 4 -2	XTX200 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console	52,690.00

XTX50/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ129114	AP0317F-1	XTX50 Stage 3	XTX50 Regulator, XTX40 Octopus (Yoke or DIN)	38,990.00
RQ129114/4-1	AP0317F-1/4-1*	XTX50 Stage 4 -1	XTX50 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	43,690.00
RQ129114/4-2	AP0317F-1/4-2*	XTX50 Stage 4 -2	XTX50 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	47,690.00



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
AP0917WO	AP0918W	XL+ Stage 3	XL+ Regulator, XL4 Ocea Octopus (Yoke or DIN)	35,290.00
AP0917WO/4-1	AP0918WO/4-1	XL+ Stage 4 -1	XL+ Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console (Yoke or DIN)	39,990.00
AP0917WO/4-2	AP0918WO/4-2	XL+ Stage 4 -2	XL+ Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	43,990.00

XL4 OCEA MINT



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ117115		XL4 Ocea Stage 3	XL4 Ocea Regulator, XL4 Ocea Octopus	41,490.00
RG117115/4-1		XL4 Ocea Stage 4 -1	XL4 Ocea Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console	46,190.00
RG117115/4-2		XL4 Ocea Stage 4 -2	XL4 Ocea Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console	50,190.00

XL4 OCEA GREY



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ117116		XL4 Ocea Stage 3	XL4 Ocea Regulator, XL4 Ocea Octopus	41,490.00
RG117116/4-1		XL4 Ocea Stage 4 -1	XL4 Ocea Regulator, XL4 Ocea Octopus, Single Pressure Gauge Console	46,190.00
RG117116/4-2		XL4 Ocea Stage 4 -2	XL4 Ocea Regulator, XL4 Ocea Octopus, Pressure /Depth Gauge Console	50,190.00



XTX40/XTX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ128116	AP0314F-1/DS4	XTX40 Stage 3	XTX40 Regulator, XTX40 Octopus (Yoke or DIN)	33,290.00
RQ128116/4-1	AP0314F-1/4-1*	XTX40 Stage 4 -1	XTX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	37,990.00
RQ128116/4-2	AP0314F-1/4-2*	XTX40 Stage 4 -2	XTX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	41,990.00

ATX40/ATX40



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ112112	AP0589C-1/DS4	ATX40 Stage 3	ATX40 Regulator, XTX40 Octopus (Yoke or DIN)	27,390.00
RQ112112/4-1	AP0589C-1/DS4/4-1*	ATX40 Stage 4 -1	ATX40 Regulator, XTX40 Octopus, Single Pressure Gauge Console (Yoke or DIN)	32,090.00
RQ112112/4-2	AP0589C-1/DS4/4-2*	ATX40 Stage 4 -2	ATX40 Regulator, XTX40 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	36,090.00

AT20/AT20



Part # YOKE	Part # DIN	Description	Includes	THAI BAHT
RQ111112	AP0588C-1/US4	AT20 Stage 3	AT20 Regulator, AT20 Octopus (Yoke or DIN)	24,290.00
RQ111112/4-1	AP0588C-1/US4/4-1*	AT20 Stage 4 -1	AT20 Regulator, AT20 Octopus, Single Pressure Gauge Console (Yoke or DIN)	28,990.00
RQ111112/4-2	AP0588C-1/US4/4-2*	AT20 Stage 4 -2	AT20 Regulator, AT20 Octopus, Pressure /Depth Gauge Console (Yoke or DIN)	32,990.00



*"Stage 4" sets come with H.P. Rubber Hose. Addition for optional low diameter H.P. Flex Hose.

400,- Baht

DIN or YOKE Connection available



5 PORT TURRET UPGRADE KIT

Part #	Description	THAI BAHT
RA117113	5 Port DST Upgrade Kit	2,890.00
RA117114	5 Port XTX FSR/FST Upgrade Kit *	2,890.00

- * For p/n AP02741, it may only be used on the current "face-lifted" models that debuted in 2013.



FREEFLOW CONTROL DEVICE

- Isolates free-flowing 2nd stages
- Guards against unexpected air loss
- Improves diver safety
- Gives total control of a frozen 2nd stage
- Fits any 2nd stage with standard hose fitting

Part #	Description	THAI BAHT
RA113111	Freeflow Control Device	3,990.00



DIN TO YOKE CONVERTER

- Allows you to quickly and easily convert your existing DIN connector to yoke without the need for tools.

Part #	Description	THAI BAHT
RA112117	DIN to Yoke Converter	4,990.00



APRV

- Pre-set between 12 – 17 bar (174 – 247 psi)
- Standard factory Pre-set is 15 bar (218 psi)
- Low Profile
- High Flow Rate

Part #	Description	THAI BAHT
RA116115	Adjustable Pressure Relieve Valve	3,290.00



DIN & A-CLAMP (YOKE) KITS

- Allows you to replace your existing yoke connector or DIN connector
- Available in co-molded, bright chrome or satin finish

Part #	Description	THAI BAHT
RA112113	DIN Kit - Flight	4,790.00
RA112132	A-Clamp Kit - Flight	4,790.00
RA112118	DIN Kit - co-molded hand-wheel	3,190.00
AP0620-A	A-Clamp Kit - co-molded Knob	2,890.00
RA112112	DIN Kit - Chrome 300 bar	2,890.00
AP0211-A	A-Clamp Kit - Chrome, black Knob	2,890.00
RA112115	DIN Kit - Satin	2,890.00
AP0211-S-A	A-Clamp Kit - Satin, co-molded Knob	2,890.00
AP0211/PVD-A	A-Clamp Kit - PVD (Tungsten)	4,290.00



RA112118



AP0620-A



RA112112



AP0211-A



RA112115



AP0211/S-A



HOSES

- All LP hoses and Inflator hoses are manufactured at the Apeks factory.
- Lightweight flexible hoses withstand a burst pressure more than twice that of traditional hoses.
- Seatec inflator hose fits all Aqualung BCs.



Part #	Description	THAI BAHT
RH114234	REGULATOR HOSE DOUBLE SWIVEL 3/8" 0.65 MTR NHP	3,590.00
RH114167	REGULATOR HOSE 3/8" 0.72 MTR (RUBBER)	3,190.00
AP0203/1/DSW	REGULATOR HOSE DOUBLE SWIVEL 3/8" 0.72 MTR	3,590.00
AP0203/1/J/K	SWIVEL REG HOSE 3/8"+BOX 0.72 MTR (RUBBER)	4,790.00
RH114169	REGULATOR HOSE 3/8" 1 MTR (RUBBER)	3,490.00
RH114171	REGULATOR HOSE 3/8" 1.5 MTR (RUBBER)	3,790.00
RH114172	REGULATOR HOSE 3/8" 2.1 MTR (RUBBER)	4,190.00
AP0203/1TEK.2.1MTR	REGULATOR HOSE DOUBLE SWIVEL 3/8" 2.1 MTR NHP	4,690.00
RH114162	REGULATOR HOSE 1/2" 0.72 MTR (RUBBER)	3,190.00
RH114112	FLEXI HOSE 1/2" 0.72 MTR	3,190.00
RH114164	REGULATOR HOSE 1/2" 1.5 MTR (RUBBER)	3,790.00
RH114165	REGULATOR HOSE 1/2" 2.1 MTR (RUBBER)	4,190.00
RH113137	OCTOPUS HOSE 3/8" 0.90 MTR (RUBBER)	3,490.00
AP0198NHP/0.65	FLEXI HOSE 3/8" 0.65 MTR (SIDEMOUNT)	2,890.00
AP0198/DSW/0.65MTR	FLEXI HOSE DOUBLE SWIVEL 3/8 0.65 MTR (SIDEMOUNT)	3,790.00
RH114119	FLEXI HOSE 3/8" 0.72 MTR	3,190.00
RH114135	FLEXI HOSE DOUBLE SWIVEL 3/8" 0.72 MTR	3,590.00
RH114246	SWIVEL FLEXI HOSE 3/8"+BOX 0.72 MTR	4,790.00
RH114124	FLEXI HOSE 3/8" 1 MTR	3,490.00
RH114127	FLEXI HOSE 3/8" 1.5 MTR	3,790.00
RH114128	FLEXI HOSE 3/8" 2.1 MTR	4,190.00
AP0198/DSW/2.1MTR	FLEXI HOSE DOUBLE SWIVEL 3/8" 2.1 MTR	4,690.00
RH114146	FLIGHT REGULATOR HOSE 0.72 MTR	3,590.00
RH113115	FLEXI HOSE 3/8" OCTO 0.9 MTR	3,190.00
RH113116	FLEXI HOSE 3/8" OCTO DOUBLE SWIVEL 0.9 MTR	3,590.00
RH113122	FLIGHT OCTOPUS HOSE 0.9 MTR	3,590.00
RH111124	HP HOSE 0.8 MTR (RUBBER)	3,590.00
RH111115	FLEXI HP HOSE 0.8 MTR	3,590.00
RH111118	HP HOSE 0.18 MTR (RUBBER, SIDEMOUNT)	3,190.00
RH112129	INFLATION HOSE SEATEC 0.74 MTR (WTX+SEAQUEST...)	3,490.00
RH112118	FLEXI SEATEC Q/C HOSE 0.74 MTR (WTX+SEAQUEST...)	3,490.00
RH112117	FLEXI SEATEC Q/C HOSE 0.25 MTR (SIDEMOUNT)	3,490.00



Flex Hose



Double Swivel Hose



Double Swivel Octopus Hose



NEW! BUNGEE CONNECTOR SYSTEM

The Apeks bungee connector system has designed to be a neat storage solution for your back up regulator and can be configured to your personal preference. The system also has a lock out feature for retaining a regulator in the mouth of an unconscious diver during a rescue situation.



Part #	Description	THAI BAHT
RA117111	Bungee Connector Kit	990.00

REGULATOR ACCESSORIES

Part #	Description	THAI BAHT
RA117127	90 Fixed Elbow Kit	4,390.00
RA117135	1/2" TO 3/8" Adaptor Pack	860.00
RA117116	Regulator Necklace Kit	1,690.00
RA117137	Anti-Bacterial Comfo Mouthpiece Pack	690.00
RA117131	Coloured Mouthpiece Kit (4 Mouthpieces)	1,790.00
RA117141	DIN Protector Cap	590.00
RA117129	Dust Cap (for Yoke Connector)	590.00
RG912360	Hose Protector Black	320.00
AP1461/Y	Hose Protector Yellow	320.00
AP1461/G	Hose Protector Green	320.00





DSX

 NEW FOR 2023

The new Apeks DSX technical dive computer is the latest in wearable technology for the serious technical diver, or the diver just looking for the finest instrument on the market, to take them to the next level. Robust as only Apeks knows how, and fully loaded with cutting edge features, including sidemount and CCR mode, induction or cable charging and management of up to 6 gasses. The DSX is primed and ready to take you on your next adventure.

- Powerful feature rich multi-function technical diving computer.
- Air integrated and suitable for use with up to 6 transmitters, ideal for sidemount diving.
- Use up to 6 gasses.
- Sidemount mode with gas switch notification.
- CCR mode
- Trimix
- GPS function to log entry and exit points
- Supplied with an oxygen analyser (note: no oxygen cell supplied).
- Titanium outer bezel to save weight and ensure maximum durability.
- 2 strap options supplied elastic double straps with buckle release and bungee attachment system.
- Reusable protective storage case storage case.
- Induction charging system, supplied with induction charging mat.
- Traditional cable charge system for faster charging from the mains or portable power source when in remote locations.



Part #	Description	THAI BAHT
NS158000	Apeks DSX	49,990.00
NS119115	Apeks Transmitter - O2 Clean	11,990.00



ANALOG INSTRUMENTS

Apeks instruments supply clear and accurate information on your dive status. Our instruments are tested beyond normal dive limits to ensure they provide this precise information for all your dive experiences. Strong, easy to maintain housings provide years of trouble free service. You can be assured of the quality/finish of all your Apeks equipment. Our gauges and gauge consoles are designed and finished at our UK factory ensuring that every aspect reflects our commitment to quality. The gauges are stylish and fit perfectly with other products in the Apeks range, such as our world famous regulators. All consoles are available in Pewter.

CONTENTS GAUGE CONSOLE

- The slim-line gauge case is made from nickel plated brass.
- Large loop area designed into the housing for ease of attachment.
- The dial range is from 0 to 360 bar.
- Uncluttered, with large black figures on a luminous background giving a long phosphorescent effect.
- Made with O2 compatible materials but be sure to O2 clean before use with high percentage oxygen.
- The dial window is made of highly shock resistant material (anti-splinter Polycarbonate) to protect your quality gauge.
- Over pressure relief fitted in the back.



NS131131

CONTENTS GAUGE + DEPTH GAUGE CONSOLE

- See contents gauge details above.
- Dials have a long phosphorescent effect for better reading in poor visibility conditions.
- There are 2 attachment areas integrated into the design for position flexibility.
- This may be a compact design but the displays are vivid and clear - perfect for diving. For example, the depth gauge spreads the first half of the scale and in total shows a range down to 70 metres.
- Depth gauge has resettable max depth indicator.
- Made with high shock-resistant windows, which is a must for divers.



NS133125

CONTENTS GAUGE + DEPTH GAUGE CONSOLE + COMPASS

- See specifics on each individual instrument above.
- All instruments give accurate, clear readings and are made from the best quality build materials. As such they offer perfect functionality and excellent robustness.



NS135115



Back view



Optional HP Flex Hose

Part #	Description	THAI BAHT
NS131131	Contents Gauge Console	5,490.00
NS131128	Contents Gauge Console With HP Flex Hose	5,890.00
NS113125	Contents Gauge & Depth Gauge Console	9,590.00
NS133119	Contents Gauge & Depth Gauge Console With HP Flex Hose	9,990.00
NS135115	Contents Gauge & Depth Gauge Console + Compass	12,990.00
NS135121	Contents Gauge & Depth Gauge Console + Compass With HP Flex Hose	13,390.00



NITROX PRESSURE GAUGE

- O2 clean.
- Can be used for up to 100 % Oxygen.
- Bright green colour indicates its use for nitrox exclusively.

Part #	Description	THAI BAHT
NS131123	Nitrox Contents Gauge Console	5,990.00



TECH PRESSURE GAUGE

- Chrome-plated marine brass body.
- 300 Bar.
- 52 Diameter

Part #	Description	THAI BAHT
NS131138	Tech Pressure Gauge (Module Only)	4,690.00



APEKS PROFESSIONAL DIVE WATCH (MALE)

Stainless steel case with attractive contoured stainless steel bezel with positive action, and screw down winder. This watch uses a reliable Seiko movement with day and date display. Tested to 200 metres.

Features

- Highly reliable Seiko VX42 Quartz movement.
- Easy to read luminous face and large uni-directional bezel and day/date display.
- Housed in a tough stainless steel case with screw-in crown.
- PU Polyurethane strap.
- Tested to 200 metres.

Part #	Description	THAI BAHT
NS147114	Professional Dive Watch Gents	7,690.00



APEKS PROFESSIONAL DIVE WATCH (FEMALE)

Stainless steel case with attractive contoured stainless steel bezel with positive action, and screw down winder. This watch uses a reliable Seiko movement with date display. Tested to 200 metres.

Features

- Highly reliable Seiko VX42 Quartz movement.
- Easy to read luminous face and large uni-directional bezel and day/date display (date only).
- Housed in a tough stainless steel case with screw-in crown.
- PU Polyurethane strap.
- Tested to 200 metres.

Part #	Description	THAI BAHT
NS147117	Professional Dive Watch Ladies	7,690.00





EXOTEC

The Apeks Exotec BCD is a revolution in diving comfort, functionality and seductive engineering design. The ethos behind Exotec is the synthesis of equipment and diver. Created to fit like no other BCD and flow with the natural movement of the diver's body, through the innovative BioReact articulation. Constructed with the usual, exacting Apeks build quality, the Exotec is a paradigm of form and function.

- BioReact articulating waist system for maximum comfort and freedom of movement.
- GripTek fabric keeps the BCD in place both on the surface and underwater.
- The bladder is constructed from super-tough Armoguard slick skin for increased abrasion resistance, faster drying and have a reduced risk of bacterial growth due to the slick surface.
- Anodised aluminium hardware is both strong and lightweight.
- G hook chest strap and tank retainer allow for 1 handed simple operation.
- 3 position height adjustable backplate allows for optimum fit.
- Adjustable waist and shoulders.
- 2 large pockets can be folded up flat when not in use to reduce drag.
- Wrapture Harness System – Using patented swivel shoulder buckles and a proprietary, ultra-thin back plate, the Wrapture provides unsurpassed comfort and stability. Wrapture prevents the BC from “riding-up” on the surface. Out of the water, the Wrapture keeps the cylinder close to your centre of gravity and transfers the weight to your hips. The result is the ability to stand up straight with a cylinder that is perfectly vertical.
- Because of the multiple size settings at the top of the shoulders, as well as either side of the waistband, a custom fit can be achieved through any one of 3 sizes.
- SureLock I Mechanical Weight Release System (patented) – provides a safe, single-pull release. Inserting weight is as simple as insert and “click”. With SureLock, your weights are secure in the BC. Once engaged, the only way to release the weight is to pull on the handle.
- There are 4 dump valves in all, one in each corner. 3 are proprietary flat valves are very streamlined and effective. The dump valve on the upper left is the rapid exhaust valve found at the top of the Powerline inflator.
- The Powerline inflator assembly boasts one of the fastest inflation rates in the industry. This environmentally sealed unit has integrated clips to keep the LP inflator hose tucked in securely.
- A dual bladder retraction system is used to pull in the sides of the bladder during deflation. This keeps unit streamlined and reduces drag.



Part #	Description	Sizes	THAI BAHT
BT1380108SM	EXOTEC,BC,Orange	S/M	46,290.00
BT1380108ML	EXOTEC,BC,Orange	M/L	46,290.00
BT1380108LXXL	EXOTEC,BC,Orange	XL/XL	46,290.00

Part #	Description	Sizes	THAI BAHT
BT1380110SM	EXOTEC,BC,Grey	S/M	46,290.00
BT1380110ML	EXOTEC,BC,Grey	M/L	46,290.00
BT1380110LXXL	EXOTEC,BC,Grey	XL/XL	46,290.00



BLACK ICE

The Black Ice is designed with the more serious recreational diver in mind. Designed to provide the comfort desired for daily diving and the features needed to take you over the edge, the Black Ice is ideal for the diver who does it all. The separately available twin cylinder kit converts your Black Ice for twin cylinder diving.

- Equipped with flat E valves on the right shoulder and lower rear right and left sides (fitted with easy grip pull dumps). Flat E Valves are extremely streamlined with a one way design to keep water out.
- Two shoulder settings for true custom adjustments.
- Adjustable chest strap.
- 3 waistband settings.
- 3 bladder retractors.
- Wrapture Harness® System.
- 5 stainless steel D-rings.
- SOLAS reflector inflator hold down.
- Powerline inflator with internal dump cable.
- Innovative swivel shoulder buckles.
- Knife attachment points
- Right hand large utility pocket.



Twin Cylinder Kit



Part #	Description	Sizes	THAI BAHT
BC1330101M	Black Ice	SM/MD	34,190.00
BC1330101L	Black Ice	ML/LG	34,190.00
BC1330101XXL	Black Ice	XL/XXL	34,190.00
BC1330101	Twin Cylinder Kit		3,790.00

BLACK ICE BC SIZE GUIDE

Size	SM/MD	ML/LG	XL/XXL
Lift (lbs/Newtons)	52/230	52/230	52/230
Weight Capacity (lbs/kg)	42/19	42/19	42/19
Height (in)	5'4"-5'11"	5'9"-6'3"	6'0"-6'7"
Height (cm)	163-180	175-235	195-275
Weight (lbs)	145-210	175-235	195-275
Weight (kg)	66-95	79-107	88-125
waist (in.)	33-53	37-57	41-61
Waist (cm)	84-135	94-145	104-155



WSX SIDEMOUNT HARNESS!

Apeks, the company that produces the premier line of technical dive gear, offers you a top of the line sidemount harness system. The WSX is a feature rich, complete sidemount harness system. The WSX comes complete with either a 25lbs or 45lbs bladder, harness with crotch strap, D-rings, bungee and accessory butt pack.

The Apeks SlideLock sliding D-ring allows the diver to easily change the position of the cylinders as their buoyancy changes during the dive. The 2 piece plate system is adjustable to nearly any torso length, making this truly a one size fits all system.

Bladder:

- WSX-25 (25lbs lift), WSX-45 (45lbs lift)
- Armoguard exterior
- Additional protective layer of Armoguard protects the bladder against abrasions in confined spaces.
- Reversible inflator can be mounted on left or right side. (WSX-45 includes an inflator connection on the inside left shoulder)
- Grommets at lower corners allow for mounting bungee to keep the bladder streamlined to your body.

Harness:

- Solid 2" (5cm) webbing comes pre-assembled
- Removable crotch strap made of 2" (5cm) soft webbing
- 4x two inch stainless steel D-rings (2 angled on shoulders, 1 angled and 1 flat on the crotch strap)
- 2x "SlideLock" sliding stainless steel D-rings on waist strap allow for easy adjustment of cylinders throughout the dive
- 2x stainless steel drop D-rings along the lower back are for connection to the included butt pack, or for marker buoys, reels or other accessories
- Heavy-duty waist buckle made of stainless steel
- Two-piece stainless steel plate allows the torso length to be adjusted to fit any diver
- Zippered Butt Pack with stainless steel snap hooks included
- Weight pouches are mounted on the spine strap
- Comes complete with two sizes of bungee and five stainless steel bolt snaps.
- 2 grommet strips allow the diver to adjust the weight pouch and bladder based on their specific requirements.

Redundant Bladders:

- The WSX sidemount system now has a redundant option with the release of the new Apeks WSX redundant bladders. The bladders are cut to the same dimensions as the WSX-25/45 bladders and are made from the same ultra durable Armoguard material. They are designed to be mounted between the harness and bladder and have reversible inflators allowing the primary and backup inflators to be routed on opposite sides.



WSX-25 and WSX-45 Redundant Bladder



WSX-45 Primary Bladder



WSX Complete Sidemount System

Part #	Description	Sizes	THAI BAHT
BT114125	WSX-25 Sidemount System	Adjustable Size	37,990.00
BT114126	WSX-45 Sidemount System	Adjustable Size	39,890.00
BT114111	WSX-25 Primary Bladder only	25lbs lift	13,790.00
BT114121	WSX-45 Primary Bladder only	45lbs lift	15,090.00
BT114122	WSX-25 Redundant bladder	25lbs lift	11,790.00
BT114123	WSX-45 Redundant bladder	45lbs lift	12,190.00



Attachment Details

WSX ACCESSORIES

Part #	Description	Details	THAI BAHT
BT114114	WSX Butt Pouch		3,090.00
BT114115	WSX Grommet Strip	Pair	1,790.00
BT114116	WSX Bungee Kit Large	Cylinder Attachment	2,790.00
BT114117	WSX Bungee Kit Small	Wing Attachment	2,790.00
BT114118	WSX Hardware Kit		2,190.00
BT114119	WSX Slide-Lock	Pair	3,490.00
BT114124	WSX Trim Pockets - Pair	5lb / 2.2kg Each	5,290.00



BT114114

BT114115

BT114116

BT114117

388777

BT114119

BT114124

BT114124



APEKS WTX AND WTX-D SERIES

Apeks, the company that produces the premiere line of technical regulators, also offers a premiere line of technical BCs. The WTX and WTX-D Series is a selection of harnesses, buoyancy cells and accessories which offer unparalleled versatility due to the modular nature of the whole system. Each component can be configured into a highly technical rig for those trained to push the limits, or scaled down to make a travel friendly set up suitable for any diver.

Each product has been carefully designed by the Apeks' engineering team in conjunction with some of the most accomplished technical divers in the world. Each component has undergone extensive field-testing to make sure the design is right the first time. The materials were selected for strength and durability and the result is a product selection that technical divers can have complete confidence in.

CONFIGURING YOUR KIT

We know that each diver is different and that no two divers require exactly the same kit configuration. The WTX and WTX-D series allows you to put your equipment together your way, taking items from the range and mixing and matching them to create a rig that's all yours. Here are just some of the options:

PICK YOUR HARNESS



SELECT YOUR STYLE OF WING



CHOOSE YOUR ACCESSORIES



DECIDE ON THE MOUNT





WTX-D TWIN DONUT WINGS

WTX-D45 TWIN TANK WINGS (DONUTS)

- Wings specifically designed for twin tanks.
- Very streamlined because they are compact.
- They offer optimum balance and are very stable.
- They do not wrap around the tank (taco), unlike larger wings.
- Rugged, durable heavy duty materials and hardware.
- Fondly referred to as “donuts” due to their shape.

Part #	Description	THAI BAHT
BT115128	WTX-D45	23,490.00
BT115129	WTX-D60	24,090.00
BT115127	WTX-D60R	34,390.00

WTX-D45

45 lbs lift

Inflator - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

Drains

- 2 large drain grommets.
- Centre mesh drain panel.



WTX-D60

60 lbs lift

Inflator - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

Drains

- 2 large drain grommets.
- Centre mesh drain panel.



WTX-D60R

60 lbs lift

- This redundant system contains two inner cells in one outer bag. Either cell is capable of generating 60 lbs of lift when it is full. Dive with peace of mind knowing that you’re carrying a redundant system.

Two inflators - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

Drains

- 2 large drain grommets.
- Centre mesh drain panel.





WTX-D SINGLE DONUT WINGS

SINGLE TANK WINGS (DONUTS)

- Narrow wings specifically designed for single tanks.
- Very streamlined because they are compact.
- They offer optimum balance and are very stable.
- They do not wrap around the tank (taco) as larger wings will often do.
- Rugged, durable heavy duty materials and hardware.
- Fondly referred to as “donuts” due to their shape.

Part #	Description	THAI BAHT
BT115122	WTX-D18	20,490.00
BT115123	WTX-D30	21,590.00
BT115124	WTX-D40	23,690.00

WTX-D18

18 lbs lift

Inflator - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

Drains

- 2 large drain grommets.
- Centre mesh drain panel.



WTX-D30

32 lbs lift

Inflator - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

Drains

- 2 large drain grommets.
- Centre mesh drain panel.



WTX-D40

40 lbs lift

Inflator - K style with brass buttons

- Low profile oval-shaped hose.
- Safety cable to prevent hyper- extension.
- Positioned off-centre so as to not interfere with 1st stage.

Dump Valve

- Low profile flat valve.
- Positioned in front, lower-left side.
- Tank stabilizer bars.

Drains

- 2 large drain grommets.
- Centre mesh drain panel.





PUBLIC SAFETY DEVICE (PSD)

SINGLE TANK WINGS (DONUTS)

Designed for Public Safety divers, but a very practical and attractive option for all styles of diving, these 30 and 40 lb single cylinder wings boast all of the same features as the 30 and 40 lb single tank wings but are constructed from an Armoguard slick skin. This fast drying material is more abrasion resistant than traditional Cordura® and due to its slick nature it rinses easily and even if it is stored while damp it doesn't pick up bacterial growth or smells.

WTX-D30 PSD

32 lbs lift

Inflator - K style with brass buttons

- Low profile oval-shaped hose
- Safety cable to prevent hyper-extension
- Positioned off-centre so as to not interfere with 1st stage

Dump Valve

- Low profile flat valve
- Positioned in front, lower-left side
- Tank stabiliser bars

Drains

- 2 large drain grommets
- Centre mesh drain panel



WTX-D40 PSD

40 lbs lift

Inflator - K style with brass buttons

- Low profile oval-shaped hose
- Safety cable to prevent hyper-extension
- Positioned off-centre so as to not interfere with 1st stage

Dump Valve

- Low profile flat valve
- Positioned in front, lower-left side
- Tank stabiliser bars

Drains

- 2 large drain grommets
- Centre mesh drain panel



Part #	Description	THAI BAHT
BT115125	WTX-D30 PSD	22,890.00
BT115126	WTX-D40 PSD	23,690.00

WTX ACCESSORIES

WTX INTERNAL RETRACTOR KIT

- Can be installed on WTX-D30, 40, 45, 60, and 60R
- Comes with full instructions.
- Consists of two retractor bands in a bag.



Part #	Description	THAI BAHT
BT115131	WTX Retractor Kit	1,690.00

SURELOCK™ ATTACHMENTS

This unique accessory allows you to mount the SureLock™ Weight System (Patented) directly to the back plate.

- Includes necessary attachment hardware plus spares.
- May be used without the SureLock™ Weight System to spread the weight of the cylinders over the hips.
- 3 different grommet settings allow for proper positioning of the SureLock™ weight pockets.



Part #	Description	THAI BAHT
BT115117	WTX SureLock Weight system attachments	5,090.00

SURELOCK™ WEIGHT SYSTEM

This popular accessory is ideal when you need to add additional weight to your rig.

- Bolts directly to the WTX Harness.
- Mounts to the back plate with use of SureLock™ attachments below.
- Includes necessary attachment hardware plus spares.
- 2" stainless adjustable D-rings on the outside of each pocket.
- Features the SureLock™ (patented) mechanical weight release buckles which prevent weights from releasing until you want them to.
- Each pocket holds up to 10 lbs (4.5kg) of lead.
- Includes attachment grommets to mount your choice of Aqua Lung Squeeze Lock knives.



Part #	Description	THAI BAHT
BT115116	Apeks Surelock weight system, 10lb	7,290.00



WTX POCKETS

- A range of pockets to suit every requirement.
- A small mesh pocket for spare mask / SMB.
- A small Cargo pocket with velcro fastener.
- A large zippered cargo pocket.
- A large thigh pocket with velcro fastener.
- The two small pockets can fix directly to the large cargo pocket using the optional nut and bolt kit.
- The pockets have a webbing loop for fixing to the BCD waist band.
- The large Thigh pocket is adjustable to fit leg size and has an adjustable length loop for securing to BCD waistband.



BT115134



BT115131



BT115133



BT115135

Part #	Description	THAI BAHT
BT115131	Small Mesh Pocket	1,690.00
BT115133	Small Cargo Pocket	2,190.00
BT115134	Large Cargo Pocket	2,490.00
BT115135	Large Thigh Pocket	2,790.00
BT115136	Nut & Bolt Kit	1,090.00

STAINLESS STEEL BOOK SCREWS

Book screws can be used to attach a wing to a back plate or to anchor an accessory to a back plate. Each kit comes with two complete sets of mating book screws with friction o-rings. Two different lengths are available, 3/8" or 3/4" depending upon your application.



Part #	Description	THAI BAHT
BT115118	Kit Book Screw, 3/8, 2 Pack	2,590.00
BT115119	Kit Book Screw, 3/4, 2 Pack	2,590.00



WTX HARNESSSES

WTX HARNESS

This is our most versatile harness. Solid construction coupled with durable materials make this harness a cornerstone for many applications.

- Can mount directly to a single cylinder using dual nylon cylinder bands or a single tank adapter.
- Can accept an Apeks back plate for heavy loads such as twin steel cylinders.
- Multiple grommet settings on the waistband allow the attachment of the SureLock™ weight system.
- Open shoulder design allows diver to add or remove hardware for total customization.
- Made from rugged 1050D Ballistic Nylon.
- Removable crotch strap made of 2" (5cm) soft webbing.
- 6-two inch stainless steel D-rings (2, angled, on shoulders, 2 on the hips and 2 on the crotch strap).
- 6-one inch stainless steel D-rings along the sides accommodate light canisters, argon bottles or other accessories.
- 2-one inch stainless steel D-rings along the lower back are for marker buoys, reels or other accessories.
- Removable back pad.
- Heavy-duty waist buckle made of stainless steel.
- Stainless steel triloaders distribute the load between the back, waist and shoulders for a great fit.
- SOLAS reflector airway hold-downs can be removed or repositioned.
- Chest strap comes standard, includes 2ea. tank bands.



Part #	Description	Sizes	THAI BAHT
BT1210101S	Apeks WTX Harness	Small	22,990.00
BT1210101M	Apeks WTX Harness	Medium	22,990.00
BT1210101L	Apeks WTX Harness	Large	22,990.00
BT1210101XL	Apeks WTX Harness	X-Large	22,990.00

WTX DELUXE ONE-PIECE WEBBED HARNESS

This simple, yet strong, harness can take the load of a fully rigged technical diver. It can be easily customized with the hardware of your choice.

- 12' of solid 2" (5cm) webbing with centre grommet.
- 2" (5cm) wide crotch strap.
- 6 stainless 2" (5cm) D-rings.
- Includes neoprene shoulder protectors.
- 2 elastic retaining loops on shoulders and one on crotch strap.
- Heavy duty stainless waist buckle.
- 6 stainless serrated retainers.
- Tank bands, p/n AP0851, not included.



*Back Plate NOT included with Deluxe Webbed Harness

Part #	Description	THAI BAHT
BT1350110	Deluxe Webbed Harness	7,690.00



WTX BACKPLATE - STEEL OR ALUMINUM

The backbone of any system - this cleverly designed back plate can be used with the webbed harness or inserted into the WTX Harness.

- Offered in either 304 stainless steel or 6061 anodized aluminum alloy.
- The stainless steel weighs approx 5 lbs (2.2 kg).
- The aluminum weighs approx 1 lb 11oz (753g).
- 4 each upper and lower slots accommodate nylon cylinder bands so a single cylinder can be strapped directly to the plate. Having a series of 4 slots provides lateral stability of the cylinder which traditional 2 slot plates cannot.
- 3 holes at the top of the plate offer a range of height adjustments for the buoyancy cells and the cylinders. In addition, a corresponding lower centre slot allows for lower band bolts that are misaligned.
- 2" wide crotch strap slot.
- Upper and lower perimeter holes along either side and holes along the bottom allow for the mounting of accessories.
- Both offer an electro-plate finish and a laser-etched Apeks logo to enhance the look of the plate.



Part #	Description	THAI BAHT
BT115113	Apeks Backplate, Stainless Steel	9,590.00
BT115112	Apeks Backplate, Aluminum	11,490.00

WTX ULTRALIGHT TRAVEL PLATE

- The Ultralight Travel Plate is ideal for those that like to travel with plate and wings
- Paired with the WTX-D18 donut wing, it makes a very lightweight, streamlined kit
- Requires the Deluxe One-Piece Webbed Harness
- Can accept SureLock Weight System directly or by using SureLock Attachment plates



Part #	Description	THAI BAHT
BT115114	Ultralight Travel Plate	5,490.00

WTX SINGLE TANK ADAPTER (STA)

The single tank adapter is a great way to quickly attach a single cylinder to a back plate or the WTX harness.

- Made of 316 stainless steel.
- Weighs 1 lb. 1 oz. (490g) without hardware.
- Comes with 2 sets of bolts and one pair of washers and wing nuts.
- 1" bolts for directly mounting to back plate.
- 1.5" bolts for mounting to back plate inside WTX harness.
- Nylon tank bands are not included and may be purchased separately (p/n AP0851).



Part #	Description	THAI BAHT
BT115115	Single Tank Adapter	4,390.00

WING AND HARNESS - POSSIBLE CONFIGURATIONS



18lb donut with Ultralight Travel Plate, universal webbed harness, SureLock pockets and attachments.



30lb donut with aluminum back plate, universal harness, SureLock pockets and attachments.




40lb donut with WTX harness and SureLock pockets.

WTX BC SIZE GUIDE

Size	Waist Range		Over The Shoulder Range
	WTX Harness Only	WTX Harness w/ SureLock Wt System	Measured from centre of waistband front to centre of waistband back
SM	29-60in / 74-152cm	33-60in / 84-152cm	34-43in / 86-109cm
MD	29-60in / 74-152cm	33-60in / 84-152cm	36-45in / 91-114cm
LG	32-60in / 81-152cm	36-60in / 91-152cm	40-49in / 102-125cm
XL	34-60in / 86-152cm	38-60in / 97-152cm	42-51in / 107-130cm

The figures in this guide are approximate, not absolute.



VX1 MASK

Features

The ultimate in diving mask comfort! The VX1 is lightweight, frameless and features high quality optics.

- Frameless construction provides low inner volume, exceptional comfort and lightweight
- Matt and gloss areas on the silicone skirt enhance sealing features and improve fit and comfort
- Pure Clear Lens provides maximum optical clarity with no distortion
- Quick Release Buckles incorporating a stainless-steel roller allow for easy adjustment for the best fit, even while wearing dry gloves
- Supplied with additional comfortable neoprene mask strap for a secure fit
- Premium zipped EVA reusable protective case
- Single use plastic free packaging



VX1 GREY
Grey silicone
Pure clear lens



VX1 GREY
Grey silicone
UV Cut lens



VX1 BLACK
Black silicone
Pure clear lens



VX1 BLACK
Black silicone
UV Cut lens




VX1 WHITE
White silicone
Pure clear lens



VX1 WHITE
White silicone
UV Cut lens

Part #	Description	THAI BAHT
MS3941201LR	VX1 GREY Grey silicone - Pure clear lens	5,990.00
MS394111	VX1 BLACK Black silicone - Pure clear lens	5,990.00
MS394113	VX1 WHITE White silicone - Pure clear lens	5,990.00
MS3941201LM	VX1 GREY Grey silicone - UV Cut	6,490.00
MS394112	VX1 BLACK Black silicone - UV Cut	6,490.00
MS394114	VX1 WHITE White silicone - UV Cut	6,490.00



VX1
Orange/Dark Grey
Orange silicone
Pure clear lens



VX1
Orange/Dark Grey
Orange silicone
UV Cut lens



VX1
Dark Grey/Orange
Grey silicone
Pure clear lens




VX1
Dark Grey/Orange
Grey silicone
UV Cut lens



Includes protective case and neoprene mask strap

Part #	Description	THAI BAHT
MS3940812LR	VX1 ORANGE DK GREY Orange silicone - Pure clear lens	5,990.00
MS3941208LR	VX1 ORANGE DK GREY Grey silicone - Pure clear lens	5,990.00
MS3940812LM	VX1 ORANGE DK GREY Orange silicone - UV Cut	6,490.00
MS3941208LM	VX1 DK GREY ORANGE Grey silicone - UV Cut	6,490.00




RK3 + RK3 HD

The award winning RK3 fin is renowned for outstanding performance and reliability and has fast become a firm favourite with divers. Now available in a range of new colours, the RK3 is a rugged thermoplastic rubber fin featuring an over-sized foot pocket to accommodate drysuit boots and a spring strap for easy donning and doffing. The RK3 is available in three sizes: Medium, Large and Super.

The RK3 HD fin is the latest in the RK3 range. It is made from a higher density (HD) material than the standard RK3 which makes the fin stiffer and negatively buoyant, ideal for drysuit diving.

We didn't give the RK3 fin a shoe size range as this can be very misleading. The environment that an RK3 is used in will tend to dictate the size of fin that you need, for example do you dive in a warm environment wearing wetsuit boots, or are you walking across pebbled beaches and wearing a drysuit and rigid dry boots? Both forms of footwear may be a UK size 9, but will take up different amounts of space in the fin foot pocket.




FEATURES

- The design has been the standard gear issue fin for military, special ops, coast guard, and public safety divers for decades.
- Short wide blade provides maximum forward thrust while maintaining great manoeuvrability.
- Vented blade design reduces resistance on the upstroke and enhances thrust on the downstroke
- The vents also eliminate vortexes that can occur along the back of the blade much in the same way split fins eliminate the vortex
- The blade material is designed to hold up to the toughest environments, temperatures, and abuse.
- Two large grommet holes designed to fit most carabiners for easy storage of the fins while accessing the dive site
- Spring straps as standard
- Custom designed buckle holds spring straps in optimum position
- Simple push pin design allows simple replacement of springs if necessary
- The blade material is designed to hold up to the toughest environments, temperatures, and abuse.
- Two large grommet holes designed to fit most carabineers for easy storage of the fins while accessing the dive site.
- Spring straps as standard.
- Custom designed buckle holds spring straps in optimum position.
- Simple push pin design allows simple replacement of springs if necessary.

Part #	Description	Sizes	THAI BAHT
AL2480101S	APEKS RK3 FIN, BLACK	SMALL	7,490.00
AL621160	APEKS RK3 FIN, BLACK	MEDIUM	7,490.00
AL621170	APEKS RK3 FIN, BLACK	LARGE	7,490.00
AL621180	APEKS RK3 FIN, BLACK	SUPER	7,490.00
AL2481212S	APEKS RK3 FIN, DARK-GREY	SMALL	7,490.00
AL2481212M	APEKS RK3 FIN, DARK-GREY	MEDIUM	7,490.00
AL2481212L	APEKS RK3 FIN, DARK-GREY	LARGE	7,490.00
AL2481212XL	APEKS RK3 FIN, DARK-GREY	SUPER	7,490.00
AL2480909S	APEKS RK3 FIN, WHITE	SMALL	7,490.00
AL621201	APEKS RK3 FIN, WHITE	MEDIUM	7,490.00
AL621203	APEKS RK3 FIN, WHITE	LARGE	7,490.00
AL621205	APEKS RK3 FIN, WHITE	SUPER	7,490.00
AL2480808XL	APEKS RK3 FIN, ORANGE	SUPER	7,490.00
AL2480707S	APEKS RK3 FIN, YELLOW	SMALL	7,490.00
AL2480707M	APEKS RK3 FIN, YELLOW	MEDIUM	7,490.00
AL2480707L	APEKS RK3 FIN, YELLOW	LARGE	7,490.00
AL2480707XL	APEKS RK3 FIN, YELLOW	SUPER	7,490.00
AL2480202S	APEKS RK3 FIN, PINK	SMALL	7,490.00
AL2480202M	APEKS RK3 FIN, PINK	MEDIUM	7,490.00
AL2480202L	APEKS RK3 FIN, PINK	LARGE	7,490.00
AL2480202XL	APEKS RK3 FIN, PINK	SUPER	7,490.00
AL2471010S	APEKS RK3 HD FIN, GREY	SMALL	7,490.00
AL2481010M	APEKS RK3 HD FIN, GREY	MEDIUM	7,490.00
AL2481010L	APEKS RK3 HD FIN, GREY	LARGE	7,490.00
AL2481010XL	APEKS RK3 HD FIN, GREY	SUPER	7,490.00
FA2470808S	APEKS RK3 HD FIN, ORANGE	SMALL	7,490.00
FA2470808M	APEKS RK3 HD FIN, ORANGE	MEDIUM	7,490.00
FA2470808L	APEKS RK3 HD FIN, ORANGE	LARGE	7,490.00
FA2470808XL	APEKS RK3 HD FIN, ORANGE	SUPER	7,490.00

Fin - Weight comparison per fin	RK3	RK3 HD
Medium	982g/2.16lb	1.1kg/2.42lb
Large	1.19kg/2.62lb	1.4kg/3.08lb
Super	1.27kg/2.79lb	1.44kg/3.17lb

ACCESSORIES

Part #	Description	Sizes	THAI BAHT
FA911222	SPRING STRAP (PAIR)	MEDIUM	2,990.00
FA911223	SPRING STRAP (PAIR)	LARGE	2,990.00
FA911224	SPRING STRAP (PAIR)	SUPER	2,990.00





LUNA MINI

When slicing through the dark is your primary mission, the Apeks Luna range of torches will fill you with the reassurance you need and the intensity of light you demand. This exclusive range of British built torches sets a new standard in subaquatic illumination.

The Luna Mini is a compact torch that packs a punch. With 1000 lumens max output, three power settings offering up to 6 hours run time and a USB rechargeable battery, it ticks all the boxes for both a primary and back up torch. With a marine grade aluminium casing and available in 4 colours, this lightweight torch is perfect for life beyond diving too.

Benefits

- Compact and lightweight - can be used as both a primary or back up torch.
- Choose your power settings to optimise run time, low, medium or high power.
- ITM (Intelligent Thermal Management) - Patented circuitry within the light reduces power to the LEDs if they go beyond the optimum temperature, keeping the light as efficient as possible to maximise output and battery capacity. Once the light has cooled, the power is automatically restored.
- No need to open the torch to recharge the battery, which reduces the possibility of leaks.
- Features a dedicated SOS Strobe for emergency use in or out of the water
- Supplied in an Apeks branded reusable zippered case to protect the torch during storage and travel.
- Multi-use - ideal for camping trips or keeping in your car in case of emergencies.

Features

- Factory sealed casing machined from anodised marine grade aluminium
- SOS strobe setting
- Supplied in a protective zippered case
- Supplied with a wrist lanyard
- Available in 4 colours - orange, green, purple and grey.
- Plastic free packaging
- Designed and manufactured in the UK.

Technical Specifications

Output

LED Configuration: 1 x White XPL2
Lumens: Max 1000
16degree Spot beam angle

Construction

Weight: 113g
Marine Grade Anodised 6063
Aluminium
Water Resistance IPX8 100m

Battery

Battery: 3400 mAh Lithium-Ion
Runtime: High 1.5hrs|Medium 3hrs|Low 6hrs
Rechargeable: Through Case USB
Charge Time: 4hrs

Dimensions

Length: 107mm
Head Diameter: 32mm




Power Output



SOS Beam



Intelligent Thermal
Management



USB Charge



Part #	Description	THAI BAHT
HG1290301	Luna Mini Torch Green 1000 Lumen	13,390.00
HG1290801	Luna Mini Torch Orange 1000 Lumen	13,390.00
HG1290501	Luna Mini Torch Purple 1000 Lumen	13,390.00
HG1291001	Luna Mini Torch Grey 1000 Lumen	13,390.00



LUNA

When slicing through the dark is your primary mission, the Apeks Luna range of torches will fill you with the reassurance you need and the intensity of light you demand. This exclusive range of British built torches sets a new standard in subaquatic illumination.

The Luna primary light has a 2000 lumen output up to 8 hours run time off one charge. Three power output settings and a handy digital fuel gauge gives you real-time battery status feedback, including the remaining run time and percentage charged. Fully rechargeable via USB, the Luna ships with a neoprene glove handle for hands-free comfort during your dive.

Benefits

- Always know your remaining burn time with our Run Time Indicator
- ITM (Intelligent Thermal Management) - Patented circuitry within the light will reduce power to the LEDs if they go beyond the optimum temperature, keeping the light as efficient as possible to maximise output and battery capacity. Once the light has cooled, the power is automatically restored.
- Choose your power settings to optimise run time, low, medium or high power.
- Three additional run time programmes
- Features a dedicated SOS Strobe for emergency use in or out of the water
- No need to open the torch to recharge the battery, which reduces the possibility of leaks.
- The neoprene wrist attachment allows for hands free use of the torch throughout your dive.
- Supplied in an Apeks branded reusable zippered case to protect the torch during storage and travel.

Features

- Factory sealed casing machined from marine grade aluminium
- Run Time Indicator
- SOS strobe
- ITM (intelligent thermal management system)
- USB rechargeable - USB cable included
- Supplied with a neoprene wrist attachment system.
- Available in one colour – grey.
- Supplied in a protective zippered case
- Plastic free packaging
- Designed and manufactured in the UK.




Power Output



SOS Beam




Run Time Indicator



Intelligent Thermal Management



Programmes




USB Charge

Technical Specifications

Output
LED Configuration: 3 x White XPL2
Lumens: Max 2000
20degree Spot beam angle

Construction
Weight: 258g
Marine Grade Anodised 6063 Aluminium
Water Resistance IPX8 100m



Handle Included

Battery
Battery: 8700 mAh Lithium-Ion
Runtime: High 2hrs|Medium 4hrs|Low 8hrs
Rechargeable: Through Case USB
Charge Time: 4hrs

Dimensions
Length: 113mm
Head Diameter: 47mm



Part #	Description	THAI BAHT
HG1301001	Luna Torch 2000 Lumen	26,890.00



LUNA ADV

When slicing through the dark is your primary mission, the Apeks Luna range of torches will fill you with the reassurance you need and the intensity of light you demand. This exclusive range of British built torches sets a new standard in subaquatic illumination.

Setting a new standard in dive light technology, The Luna Adv is a feature rich torch for the explorer and adventurer. A huge 3600 max lumens and a run-time of up to 36 hours makes this the dive light for those serious about going further. Featuring an industry-first digital Optimised Mode Selector, various pre-set programmes in the lights can be selected before your dive. The programmes offer a choice of run times and modes, so you can find the right one for your dive, be it a cave exploration or an intense night dive blast.

The Luna Adv is supplied with a Goodman handle for hands-free diving. Up to two torches can be mounted on the handle, or one torch and an underwater action camera. Even better, the Luna Adv is fully rechargeable via USB.

Benefits

- 6 pre-set dive programmes offering a variety of run times and power settings for complete control during the different stages of your dive.
- Choose your power settings to optimise run time, low, medium or high power.
- LED display panel for instant, real-time information on which mode the light is in and runtime remaining in hours and minutes.
- ITM (Intelligent Thermal Management) - Patented circuitry within the light will reduce power to the LEDs if they go beyond the optimum temperature, keeping the light as efficient as possible to maximise output and battery capacity. Once the light has cooled, the power is automatically restored.
- A Goodman style handle allows for the attachment of multiple torches or a single torch and an action camera.
- No need to open the torch to recharge the battery, which reduces the possibility of leaks.
- Supplied in an Apeks branded reusable zippered case to protect the torch during storage and travel.
- Features a dedicated SOS Strobe for emergency use in or out of the water

Features

- Optimiser Mode Selector
- LED display
- Factory sealed casing machined from marine grade aluminium
- Protective zippered case
- SOS strobe
- Supplied with a Goodman style handle, USB charging cable and international plug adaptors.
- Plastic free packaging
- Designed and manufactured in the UK.



Power Output




SOS Beam



Run Time Indicator



Intelligent Thermal Management



Goodman Handle



Programmes



USB Charge

Technical Specifications

Output
LED Configuration: 6 x White XPL2
Lumens: Max 3600
20degree Spot beam angle

Battery
Battery: 15500 mAh Lithium-Ion
Runtime: 2 – 36 Hours (depending on mode)
Rechargeable: Through Case USB
Charge Time: 6hrs

Construction
Weight: 356g
Marine Grade Anodised
6063 Aluminium
Water Resistance IPX8 100m

Dimensions
Length: 118mm
Head Diameter: 61mm



Part #	Description	THAI BAHT
HG1311001	Luna Adv Torch Primary 3600 Lumen	36,290.00



LIFELINE ASCEND

A reel like no other, the Apeks Lifeline Ascend takes the humble SMB reel to the next level of quality and functionality. Designed and built in the UK, the Lifeline Ascend exemplifies what Apeks has become renowned for, giving the diver the finest equipment to take on their next adventure.

Designed to make deploying your delayed surface marker buoy a breeze, the 30 and 60 metre Apeks Lifeline Ascend is the finest reel on the market. And it doesn't just look good, it plays good. Designed to be used both left and right-handed, the Lifeline Ascend is simple and smooth to operate, even if you're wearing thick gloves. From the easy grip rubber handle to the secure stainless-steel attachment points, the Lifeline Ascend sets a new standard in dive reels.

Benefits

- Integrated SMB attachment point allows for easy storage and deployment of the Apeks SMB.
- High grip rubber handle makes the reel easy to hold with or without gloves.
- User changeable configuration allows the reel to be easily switched from left or right handed configurations depending on your preference.
- 30 metres of high tensile strength and high visibility line is both extremely strong and visible in low light conditions.
- The stainless steel attachment point allows for secure attachment of the reel to a D-ring, BCD or pocket.

Features

- Forged and anodised aluminium handle components.
- High grip rubber handle.
- 30 and 60 metres available
- Integrated SMB attachment system.
- Stainless steel attachment point.
- User changeable from left to right hand configurations.
- Supplied in plastic free packaging.
- Lifetime warranty (excluding line)
- Designed and manufactured in the UK.

Part #	Description	THAI BAHT
RE126000	Lifeline Ascend Reel 60m Orange	13,290.00
RE126001	Lifeline Ascend Reel 60m Purple	13,290.00
RE126008	Lifeline Ascend Reel 60m Green	13,290.00
RE126009	Lifeline Ascend Reel 60m Grey	13,290.00
RE126010	Lifeline Ascend Reel 30m Orange	11,590.00
RE126011	Lifeline Ascend Reel 30m Purple	11,590.00
RE126012	Lifeline Ascend Reel 30m Green	11,590.00
RE126013	Lifeline Ascend Reel 30m Grey	11,590.00




30M Line



60M Line



Super Grip Handle



High Visibility Line



Strong Line



Left and Right Handed





LIFELINE GUIDE

Leading the way in every sense, the Apeks Lifeline Guide reel raises the bar in expedition focused diving equipment. This British built piece of fine engineering will take you to, and bring you back, from your next adventure.

Whatever your overhead environment, your guideline reel is one of the most important parts of your kit. Invest in an Apeks LifeLine Guide and you'll have one of the finest reels on the market. It doesn't just look good, it plays good. Designed to be used both left and right-handed, the Lifeline Guide is simple to operate, even if you're wearing thick gloves. From the easy grip rubber handle to the over-sized locking screw, our reel allows you to concentrate on your dive.

Benefits

- High grip rubber handle makes the reel easy to hold with or without gloves.
- High tensile strength and high visibility line is both extremely strong and visible in low light conditions.
- The stainless-steel attachment point allows for secure attachment of the reel to a D-ring, BCD or pocket.
- Ambidextrous configuration allows the reel to be used in both left and right hands at the same time as a torch.
- Oversized locking screw is easy to operate with or without gloves.
- Textured friction plate allows you to manually add tension to the spool when laying line.

Features

- 120M of high strength high visibility line.
- Oversized locking screw.
- High grip rubber handle.
- Stainless steel attachment point.
- Supplied in plastic free packaging.
- Lifetime warranty (excluding line)
- Forged and anodised aluminium handle components.
- Designed and manufactured in the UK.


Part #	Description	THAI BAHT
RE126014	Guide Reel 120m Green	13,890.00
RE126015	Guide Reel 120m Orange	13,890.00
RE126016	Guide Reel 120m Purple	13,890.00
RE126017	Guide Reel 120m Grey	13,890.00



120M Line



Super Grip Handle



High Visibility Line



Strong Line



Left and Right Handed





LIFELINE SPOOLS

Much copied but never bettered, we have built on the phenomenal success of the original Apeks Lifeline Spool with an updated model for 2022. With improved ergonomics and functionality, and a reduced weight, the 2022 Lifeline spool is leading the way once more. Inspired by technical diving and versatile enough to be used in a range of diving applications, the LifeLine spool features easy to grip flared sides and a new rubber outer grip to improve deployment and winding. Made from tough anodised aluminium alloy with high visibility line for low light conditions and with a super tough leader and swivel as standard, the Lifeline comes in four sizes and colours and is complemented by a range of line markers and cookies.

Features

- Unique flared design to allow ease of winding whilst wearing gloves
- Rubber outer grip makes the spools easier to hold while wearing gloves.
- Large, shaped, centre hole allows for easy deployment when wearing wet or dry gloves.
- Colour coded to allow ease of identification of each size.
- High quality, high visibility line.
- Rugged construction.
- High tensile line leader to avoid damage to main line when 'tying off'.
- Line swivel to prevent line entanglement and twisting.
- Machined from one piece of aircraft grade aluminium.
- Anodised coating.
- Spool is not over-wound, enabling additional line to be added if required.
- Includes stainless steel bolt snap.
- Designed and manufactured in the UK.
- Line is sewn instead of tied to increase strength.
- Orange line, best for low light conditions.
- Easy-release pull tabs.

Part #	Description	THAI BAHT
RE121113	Small Spool Kit 15m	3,890.00
RE122114	Medium Spool Kit 30m	5,390.00
RE123113	Large Spool Kit 45m	5,690.00
RE124113	Extra-Large Spool Kit 60m	6,190.00

LINE MARKER

Apeks offers a range of line markers including directional arrows, non-directional markers and cookie markers. Available in packs of 5 in white or orange, each marker comes with an optional reflective sticker that can be added by the diver.

Features

- Pack of 5
- Orange or white
- Highly reflective stickers included

Part #	Description	THAI BAHT
TH117127	Non Directional Line Marker - White	690.00
TH117126	Non Directional Line Marker - Orange	690.00
TH117131	Cookie Line Marker - White	690.00
TH117129	Cookie Line Marker - Orange	690.00
TH117134	Arrow Line Marker - White	690.00
TH117133	Arrow Line Marker - Orange	690.00



LIFELINE HALO

The Halo spool is the latest addition to the Apeks Lifeline Spool family and is a true innovation in the diving market. With 30m of line, the large diameter of the Halo fits perfectly in the hand and allows simple, controlled deployment of the SMB, and rapid line retrieval, even when wearing thick gloves.

Features

- High quality, high visibility line.
- Rugged construction.
- Line swivel to prevent line entanglement and twisting when deploying an SMB.
- Machined from one piece of aircraft grade aluminium.
- Anodised coating.
- Spool is not over-wound, enabling additional line to be added if required.
- Includes stainless steel bolt snap.
- Designed and manufactured in the UK.
- Line is sewn instead of tied to increase strength.
- Orange line, best for low light conditions.
- Easy-release pull tabs.



Part #	Description	THAI BAHT
RE126018	Lifeline Halo	6,990.00



APEKS SMB

Make sure you're seen first time, every time, with the Apeks Surface Marker Buoy. Easily the most feature rich SMB on the market today, a unique fully closed system oral inflator allows the buoy to be fully inflated on a single breath, meaning fast deployment in any situation. Both sides of the SMB have high quality SOLAS reflective tape panels to ensure maximum visibility.

Not only is the Apeks SMB the perfect surface marker buoy, it can also be used as an emergency float. Brass eyelets at the ends of the float allow the diver to fold the unit and secure it into a floating loop using bolt snaps.



Features

- Unique oral inflation valve allows for easy one handed operation in cold water.
- 2 x stainless steel D-ring allows for easy attachment to your reel or spool.
- 2 x brass eyelets at the top of the SMB allow you to attach a torch, strobe or slate, they also enable the SMB to be folded and used as an emergency float.
- SOLAS reflective tape on both sides ensure maximum visibility in rough seas and darkness.
- Simple bungee closure system with enlarged rubber pull tab allow for easy stowage and deployment even when wearing gloves.
- 1.4 meter single breath oral inflate SMB.
- Fully taped and heat sealed edges ensure the SMB is extremely durable.
- Reflective logo print.
- Over pressure relief valve with pull toggle ensures ease of use even when wearing gloves.
- Available in orange and yellow.
- Supplied in plastic free packaging

Part #	Description	THAI BAHT
RE1250701	SMB Yellow	4,390.00
RE1250801	SMB Orange	4,390.00

HP TWIN ADAPTOR

The Apeks HP twin adaptor allows you to use both an SPG and a transmitter from a single High-Pressure port. This is especially useful for 1st stages that only have a single HP port. The HP twin adaptor utilises a standard 7/16" thread and is suitable for use on all manufacturers 1st stages.

Features & Benefits

- Allows you to use both an SPG and a HP transmitter with a single HP port.
- 360 degree swivel allows the transmitter to move, reducing the chances of breakage and snagging.
- 7/16" UNF HP thread is compatible with all 1st stages.
- Made from chrome plated brass.
- Manufactured in the UK.



Part #	Description	THAI BAHT
RA114113	HP Twin Adaptor	4,390.00

BUNGEE MOUNT COMPASS

- Large easy to read numbers.
- Large side view window allows for easy and accurate navigation.
- Large, secure 360° ratcheting bezel
- Luminescent gauge face for easy reading in low light.



Part #	Description	THAI BAHT
NS127111	Bungee Mount Compass	4,190.00

WETNOTES

The Apeks wet notes are manufactured from ballistic nylon, they come with a solid graphite pencil, blank decompression tables and a replaceable notebook insert.

Features

- Durable ballistic nylon outer cover.
- 23 page reusable and replaceable underwater notebook.
- Bungee elastic pencil holder and solid graphite pencil.
- Embroidered Apeks logo.
- Two transparent pockets accommodate deco tables, compass and cutting devices.
- Includes 3 blank deco tables.
- Bungee cord closure loop and attachment point for bolt snap.
- Elastic book mark.
- Supplied with 316 stainless steel double ended bolt snap.



Part #	Description	THAI BAHT
TH117124	Wetnotes	2,990.00



APEKS TECH SHORT

Can be worn above a dry or a wet suit to create additional pocket space, or can be worn alone for use in warm water or for other aquatic activities.

- 1.5mm neoprene -small diamond lining outside, nylon inside.
- Easy adjustable waist band with 2 hook and loop flaps and adjustable strap with a quick release buckle.
- Big cargo pockets with expandable system, made in fabric to prevent the distortion of the shape.
- Grommets for fast drainage.
- D-ring to secure accessories.
- Protective rubber prints on the back reduces friction damage while increasing grip, useful if used on a jet ski or RIB.
- Taped sewing on back and inside legs to prevent broken threads.
- Unisex model: 5 sizes from S to XXL.



Part #	Description	Sizes	THAI BAHT
665000	Tech Shorts	XS	5,690.00
665001	Tech Shorts	S	5,690.00
665002	Tech Shorts	M	5,690.00
665003	Tech Shorts	L	5,690.00
665004	Tech Shorts	XL	5,690.00
665005	Tech Shorts	XXL	5,690.00

THE DRY-SERIES

If you need a workhorse in your dive kit, look no further than the new range of drybags from Apeks. Tough, rugged and designed to haul equipment, the drybags feature waterproof welded seams to ensure water doesn't get in – or out. Ideal for stashing wet kit post-dive or keeping personal possessions dry during a dive, you'll find the bags are at home in the wettest, harshest conditions around.



DRY100L SINGLE CORE WITH DRAIN DUMP

The DRY100 is made of a 1000D Nylon Core 0.6mm thick Tarpaulin which is designed to protect your gear from the most extreme environments.

The bag provides 113 litres of packing capacity and features a 33" (84cm) wide mouth roll-top to make it easy to stuff your kit in the bag. The bottom is a polymer reinforced foam that reduces impact force and wearing. Removable backpack straps make those long hikes to beach and cave dives way easier.



The side pocket/changing mat is removable so you don't have to haul your whole bag out to protect your gear while you change out of your suit.

The drain dump even means you can use your bag as a kit wash bath!

If your dive life needs a bag that can keep up, you've found it.

- The main bag is a waterproof roll top duffel with a 33" (84cm) wide mouth opening.
- The material is a 1000D Nylon Core 0.6mm Tarpaulin.
- It's designed to be rugged and to protect your gear from the most extreme environments.
- The bottom is a polymer reinforced foam pad to help reduce impact force and wearing. The bottom panel doubles as a trolley cart sleeve.
- A removable side pocket features a splash proof zipper with an easy grip puller. The changing mat is 32"x23" and double layered tarpaulin.
- Removable air mesh backpack straps.
- Compression straps with a comfortable haul handle.





DRY12L SINGLE CORE FOR WET OR DRY STORAGE

The DRY12's main function is to modularly attach to the Apeks DRY100 & DRY60.

The four stainless steel carabiners on the DRY12 latch to the four stainless steel D-rings over the Apeks logo on the side of the DRY100. When attached, the waterproof roll-top opening on the DRY12 is conveniently located and easily accessible.

The DRY60 has four locations to attach multiple DRY12 bags. This increases your DRY60's packing capacity by 48 litres. It also provides four added dry compartments to your bag.

The DRY12 also holds up on its own. The four carabiners and adjustable straps make it easy to strap down to the deck of a boat, hang inside your sleeping quarters, strap to other bags or use as a carry-on.

FEATURES

- The main material is a 1000D Nylon Core 0.6mm Tarpaulin. It's designed to be rugged and to protect your gear from the most extreme environments.
- The webbing is 1" (2.5cm) pp nylon with MOLLE straps for attaching small pouches and accessories.
- The tribuckles and carabiners are stainless steel with a metallic black coating.
- The ends of the adjustable straps are designed to weave in and out of the tribuckles easily. This is a fail safe system in case the carabiners gets damaged.
- The buckle is a Duraflex buckle.



DRY INNER BAG

The DRY75's inner bag is also available for purchase separately.



Part #	Description	Colours	THAI BAHT
1003422	APEKS DRY 100	Black	9,990.00
1003424	APEKS DRY 12	Black	2,990.00
1003425	APEKS DRY INNER BAG	Grey	1,990.00



©Aqua Lung International 2022 Aqua Lung®, Apeks®, Whites® names, logos and their respective trademarks are registered trademarks of Aqua Lung International. Products, technical details and specifications in this catalogue are subject to change without notice.



apeks®

MAIN OFFICE:
SAMUI SCUBA PRO CO., LTD
124/189-191 M.3 T. MARET
KOH SAMUI SURATTHANI 84310

TELEPHONE: 077 418 188
FAX: 077 418 189
E-MAIL: EASYWAT@EASYWATERSPORTS.COM
WEB: WWW.EASYWATERSPORTS.COM

© Samui Scuba Pro Co., Ltd. / All rights reserved 2022